



Kathleen Marika Schleinitz (Autor)

**Genetic analysis of stereospecific cleavage of the
chiral herbicide 2-(2,4-dichlorophenoxy) propionate
(dichlorprop) in *Delftia acidovorans* MC1**

Kathleen Schleinitz

Genetic analysis of stereospecific cleavage of the
chiral herbicide 2-(2,4-dichlorophenoxy)propionate
(dichlorprop) in *Delftia acidovorans* MC1



Cuvillier Verlag Göttingen

<https://cuvillier.de/de/shop/publications/2452>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

Abbreviations and trivial names	iii
1 Introduction	1
1.1 Use of dichlorprop and its fate in the environment	1
1.2 Microbial degradation of phenoxypropionate herbicides	3
1.3 Instability of dichlorprop cleavage in <i>Delftia acidovorans</i> MC1	7
1.4 Aims of this study	8
2 Material and Methods	9
2.1 Microbiological methods	9
2.1.1 Strains, plasmids and culture conditions	9
2.1.2 Indicator media for the distinction of the DP ⁺ and the DP ⁻ phenotypes	12
2.1.3 Mercury resistance	12
2.1.4 Transposon mutagenesis	12
2.1.5 Growth experiments with fluorescing Tn5:: <i>gfp</i> inser- tion mutants	13
2.1.6 Monitoring the loss of dichlorprop cleavage by long term continuous flow cultivation	14
2.2 Molecular biology techniques	16
2.2.1 DNA extractions	16
2.2.2 Construction of DNA libraries	16
2.2.3 DNA amplification	17
2.2.4 Sequencing and sequence analysis	19
2.2.5 DNA-DNA hybridisation	21
2.2.6 Nucleotide accession numbers	22
2.3 Modeling of the RdpA and SdpA structures	22
2.4 Analytical methods	23
2.4.1 HPLC	23
2.4.2 DNA concentration	23
2.5 Material	23

3	Results	24
3.1	The genes encoding stereospecific dichlorprop cleavage in <i>Delftia acidovorans</i> MC1	24
3.1.1	Identification and sequencing of the dichlorprop dioxygenase genes	24
3.1.2	Sequence analysis of the dichlorprop dioxygenase genes	24
3.1.3	<i>RdpA</i> and <i>sdpA</i> in other dichlorprop degraders	28
3.1.4	Transposon mutagenesis studies identifying genes involved in dichlorprop cleavage	29
3.1.5	Modeling of the RdpA and SdpA structures	31
3.2	Localisation and organisation of <i>rdpA</i> and <i>sdpA</i> within the genome of strain MC1	36
3.2.1	Localisation of <i>rdpA</i> and <i>sdpA</i> on plasmid pMC1	36
3.2.2	Incompatibility group determination of plasmid pMC1	37
3.2.3	Organisation of <i>rdpA</i> and <i>sdpA</i>	37
3.3	Instability of dichlorprop cleavage in <i>Delftia acidovorans</i> MC1	41
3.3.1	Preliminary experiments	41
3.3.2	Complete loss of dichlorprop cleavage in the wild type strain	43
3.3.3	Characterisation of mutants differing from the wild type strain in substrate specificity and/or stability of dichlorprop cleavage	47
4	Discussion	51
4.1	Two novel genes encode stereospecific dichlorprop cleavage in <i>Delftia acidovorans</i> MC1	51
4.2	Structural models of RdpA and SdpA	53
4.3	<i>RdpA</i> and <i>sdpA</i> are plasmid encoded and associated with several putative mobile elements	55
4.4	Genetic deletions cause the loss of dichlorprop cleaving ability	58
5	Outlook	61
6	Summary	62
	References	64
	Acknowledgements	75