



Eriola Betiku (Autor)

Heterologous Production of the Human Basic Fibroblast Growth Factor and the Glucosyltransferase-S in *Escherichia coli* with and without Coproduction of Molecular Chaperones

Heterologe Produktion von humanem basischen Fibroblastenwachstumfaktor und Glucosyltransferase-S in *Escherichia coli* mit und ohne Koproduktion von molekularen Chaperonen

Eriola Betiku

Heterologous Production of the Human Basic Fibroblast Growth Factor and the Glucosyltransferase-S in *Escherichia coli* with and without Coproduction of Molecular Chaperones

Cuvillier Verlag Göttingen

Copyright:
Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

LIST OF CONTENT**LIST OF ABBREVIATIONS**

1. INTRODUCTION.....	1
1.1. Overview.....	1
1.2. Objectives.....	4
2. LITERATURE REVIEW.....	6
2.1. The human Basic Fibroblast Growth Factor (hFGF-2).....	6
2.2. The Glucosyltransferase-S (GTF-S).....	8
2.3. Consequences of recombinant protein production.....	12
2.4. Extracytoplasmic protein production in <i>E. coli</i>	14
2.4.1. Periplasmic expression of recombinant proteins.....	14
2.4.2. Extracellular production of recombinant proteins.....	17
2.5. Inclusion bodies (IBs) as by-product of recombinant protein production.....	18
2.5.1. Structure and composition of IBs.....	19
2.5.1.1. Architecture and structure.....	19
2.5.1.2. Composition of IBs.....	20
2.6. <i>In vitro</i> and <i>in vivo</i> aggregation.....	21
2.7. Conditions that favour correct protein folding.....	23
2.7.1. Protein engineering by site-directed mutations.....	23
2.7.2. Protein synthesis rate.....	24
2.7.3. Gene fusion technology.....	24
2.7.4. Cultivation conditions and addition of folding promoting agents.....	25
2.7.5. Coproduction of molecular chaperones.....	26
2.8. Molecular chaperones involved in recombinant protein folding.....	26
3. MATERIALS AND METHODS.....	32
3.1. Bacterial strains and culture media.....	32
3.1.1. Microorganisms and plasmids for hFGF-2 production.....	32
3.1.2. Transformation of <i>E. coli</i> cells.....	33
3.1.2.1. Production of electrocompetent cells.....	33

3.1.2.2. Electro-transformation of vectors.....	34
3.1.3. Expression system for glucosyltransferase-S production.....	35
3.1.4. Strains used for GTF-S production.....	36
3.1.5. Strain storage.....	36
3.1.6. Culture media.....	36
3.2. Cultivation conditions.....	38
3.2.1. Shake-flask experiments.....	38
3.2.2. Bioreactor studies.....	38
3.3. Offline analysis.....	39
3.3.1. Optical density and biomass determination.....	39
3.3.2. Substrate and side-product analysis.....	39
3.4. Protein analysis.....	40
3.4.1. Sample preparation.....	40
3.4.2. Recovery of medium proteins by acetone precipitation.....	42
3.5. SDS-PAGE analysis.....	42
3.5.1. One-dimensional SDS-PAGE.....	42
3.5.2. Coomassie-blue gel staining	43
3.5.3. Detection of dextran in gel.....	44
3.5.4. Periodic acid-schiff (PAS) staining.....	44
3.5.5. Quantitative analysis of protein.....	44
3.6. Proteomic analysis.....	45
3.6.1. Two-dimensional SDS-PAGE.....	45
3.6.2. Equilibration and running of the 2 nd dimension.....	47
3.6.3. Spot identification by MALDI-TOF-MS.....	48
3.6.3.1. In-Gel digestion with trypsin.....	49
3.6.3.2. Extraction of peptides.....	49
3.7. Western blotting.....	50
3.8. Measurement of the GTF-S activity.....	51
3.8.1. Photometric method with DNA-reagent.....	51
3.8.2. Amperometric GTF-S assay.....	51
4. RESULTS AND DISCUSSION.....	53
4.1. Production of human basic fibroblast growth factor.....	53
4.2. Coproduction of hFGF-2 and molecular chaperones.....	53

4.2.1. Coproduction of hFGF-2 and DnaK System.....	54
4.2.2. Coproduction of hFGF-2 and the bichaperone system.....	57
4.2.3. Coproduction of hFGF-2 and trigger factor.....	59
4.2.4. Coproduction of hFGF-2 and GroELS.....	61
4.2.5. Coproduction of hFGF-2 with trigger factor and GroELS.....	63
4.2.6. Coproduction of hFGF-2 and multi-chaperone network.....	65
4.2.6.1. Coproduction of hFGF-2 and DnaK-GroEL network (DnaK in large amount).....	65
4.2.6.1.1. Without GrpE and ClpB.....	65
4.2.6.1.2. With GrpE and ClpB.....	67
4.2.6.2. Coproduction of hFGF-2 and DnaK-GroEL network (GroEL in large amount)	68
4.2.6.2.1. Without GrpE and ClpB.....	68
4.2.6.2.2. With GrpE and ClpB.....	69
4.3. Disaggregation by temperature downshift.....	70
4.4. Production of hFGF-2 in chaperone mutant strains.....	72
4.5. Chaperones involved in disaggregation of IBs.....	72
4.5.1. DnaK is a limiting factor for reversion of aggregation.....	72
4.5.2. Function of GroEL in the disaggregation network.....	74
4.5.3. ClpB is another limiting factor of disaggregation.....	75
4.6. Recombinant production of glucosyltransferase-S (GTF-S).....	76
4.6.1. Plasmid and determination of inducer concentration.....	76
4.6.2. Strain and medium selection for the GTF-S production.....	78
4.6.2.1. GTF-S production with glucose-mineral salt medium.....	79
4.6.2.2. GTF-S production with glucose-mineral salt medium plus feed medium.....	79
4.6.2.3. GTF-S production with LB medium.....	81
4.6.2.4. GTF-S production with TB medium.....	81
4.6.3. Stability test of the GTF-S produced.....	84
4.6.4. Proteomic analysis.....	84
4.6.4.1. Identification of proteins in the culture medium.....	85
4.6.4.2. Identification of proteins in the periplasm.....	87
4.6.5. Coproduction of GTF-S and the major chaperones.....	91
4.6.5.1. Coproduction with the DnaK system.....	91

4.6.5.2. Coproduction with bacterial chaperonin system.....	94
4.7. Production of GTF-S in bioreactor.....	95
4.7.1. Production with pH control.....	95
4.7.2. Production without pH control.....	99
5. SUMMARY AND OUTLOOK.....	106
6. ZUSAMENFASSUNG UND AUSBLICK.....	111
7. REFERENCES.....	116
8. APPENDICES.....	136