

TABLE OF CONTENTS

	Page
LIST OF CONTENTS	i
LIST OF TABLES	iv
LIST OF FIGURES	v
LIST OF APPENDICES	vi
ABBREVIATIONS	vii
Acknowledgements	xi
1. General introduction	1
1.1. Objectives	3
2. Cocoa (<i>Theobroma cacao</i> , L).	5
2.1. Classification	5
2.2. History and spreads	5
2.3. Ecology	8
2.4. Botanical description and agronomy aspect	8
2.5. Harvesting and Processing	10
2.6. Cocoa production by-product and its value	10
2.7. Indonesian cocoa production	12
3. Lignocellulosic or fibrous feed	13
3.1. Characteristic of lignocellulosic or fibrous feed	13
3.2. Alkali treatment of fibrous feed	14
3.3. Quality of alkali treated fibrous feed	17
3.4. Alkali treated fibrous feed in ration	18
3.5. Method for the analysis of alkali treated feed	19
4. Nitrogen metabolism and microbial protein synthesis (MPS)	21
4.1. Nitrogen and amino acid supply for ruminant	21
4.2. Nitrogen metabolism and microbial protein synthesis	22

4.3.	Efficiency of microbial protein synthesis (EMPS)	25
4.4.	Method of MPS measurement	28
4.5.	Limitation of available methods	33
5.	Methane production and its effect on environment	36
5.1.	Sources of methane	36
5.2.	Methanogenic process in animal	38
5.3.	Effect of methane to the environment	41
5.4.	Strategy to reduce methane production from animal agriculture	41
6.	Experiment 1. Nutritional properties of fresh, ensiled and urea-treated cacao pods (<i>Theobroma cocoa</i>)	45
6.1	Introduction	45
6.2.	Material and methods	46
6.2.1	Urea treatments	46
6.2.2.	Chemical analysis	47
6.2.3.	In vitro gas test	48
6.2.4.	Statistical analysis	48
6.3.	Results	49
6.3.1.	Chemical compositions	49
6.3.2.	In vitro digestibility	52
6.4.	Discussion	52
6.5.	Conclusions	56
7.	Experiment 2. Effect of substituting barley grain by urea treated cacao pod on microbial metabolism and feed degradation in rumen simulation technique (Rusitec)	57
7.1.	Introduction	57
7.2.	Objectives	57
7.3.	Material and methods	58
7.3.1.	Urea treated cocoa pod	58
7.3.2.	Experimental ration	58

7.3.3.	Rusitec procedure	59
7.3.4.	Rate of disappearance	61
7.3.5.	Amount and composition of fermentation gas	61
7.3.6.	Short chain fatty acid (SCFA)	62
7.3.7.	Microbial protein synthesis (MPS)	62
7.3.8.	Experimental design and statistical analysis	63
7.4.	Results	64
7.4.1.	Fermentation characteristics	64
7.4.2.	Development during Rusitec	65
7.4.3.	Rate of disappearance	66
7.5.	Discussion	68
7.6.	Conclusions	70
8.	Experiment 3. Comparison of two different methods for the determination of microbial growth in the rumen simulation technique (Rusitec)	72
8.1.	Introduction	72
8.2.	Objective	72
8.3.	Material and methods	73
8.4.	Results	77
8.5.	Discussion	78
8.6.	Conclusions	79
9.	Summary	80
10.	References	82
11.	Appendices	94