

Table of Contents

Summary	1
Zusammenfassung.....	4
CHAPTER 1: Mycorrhizal community structure and nutrient supply	7
1.1. Mycorrhizal mutualism	7
1.1.1. Ectomycorrhizas: functional characteristics.....	7
1.1.2. Ectomycorrhizal communities	9
1.1.3. Measuring EM community structures	10
1.2. Functions of EM in C and N exchange between plant and soil	11
1.2.1. Carbon transfer to EM fungi.....	11
1.2.2. Nitrogen forms and plant availability.....	12
1.2.3. Nitrogen in forest soils and uptake by ectomycorrhizal fungi.....	14
1.3. Occurrence and N requirements of European beech.....	16
1.4. Objectives of the present thesis.....	17
1.5. References	18
CHAPTER 2: How accessible is beech litter-derived nitrogen for different ectomycorrhizal fungal species	31
2.1. Introduction	31
2.2. Materials and methods	33
2.2.1. Site description	33
2.2.2. Litter and Litterbags	33
2.2.3. Field study and sampling design	34
2.2.4. Sampling of soil, roots and ectomycorrhizas.....	34
2.2.5. C, N and ^{15}N analysis and calculations.....	36
2.2.6. Statistical analysis.....	37
2.3. Results	37
2.3.1. Root demography and EM colonization.....	37
2.3.2. N and ^{15}N dynamics in decomposing litter.....	39
2.3.3. ^{15}N tracer in soil and roots	40
2.4. Discussion	42
2.4.1. The fate of ^{15}N released from litter.....	42
2.4.2. Functional diversity of EM with respect to N accumulation.....	44

Table of Contents

2.5. References	47
Supplement 2.1	52
CHAPTER 3: Nitrogen turnover in beech (<i>Fagus sylvatica</i>) root tips colonized by different ectomycorrhizal fungi under two levels of irradiance and water availability.....	55
3.1. Introduction	55
3.2. Materials and methods	58
3.2.1. Plant cultivation.....	58
3.2.2. Experimental treatments	58
3.2.3. Harvest.....	59
3.2.4. Root analysis and EMF morphotyping.....	60
3.2.5. Collection of root tips for isotope analysis.....	60
3.2.6. Molecular identification of EM fungal species	60
3.2.7. EM anatomy	62
3.2.8. Isotope analysis.....	62
3.2.9. Calculations and statistical analyses.....	62
3.3. Results	63
3.3.1. Root demography and EM community structure are influenced by irradiance and water availability	63
3.3.2. Ecomycorrhizal fungal species influence ^{15}N contents in root tips.....	69
3.3.3. Total N contents in ectomycorrhizal and non-mycorrhizal root tips show a different pattern according to fungal species as compared to ^{15}N contents	71
3.3.4. ^{15}N to N ratio vary with ecomycorrhizal fugal species and with the growth regime.....	71
3.3.5. ^{15}N sequestrations in root tips is negatively correlated with fungal mantle	74
3.4. Discussion	75
3.4.1. EM community structure under shade and drought.....	75
3.4.2. N turnover in EM and NM root tips	76
3.5. Conclusions	77
3.6. References	78
CHAPTER 4: Effects of ectomycorrhizal symbiosis on the nitrogen uptake capacities of young beech (<i>Fagus sylvatica</i>) seedlings under drought conditions, influenced by irradiance.....	87
4.1. Introduction	87
4.2. Materials and methods	90
4.2.1. Experimental design	90
4.2.2. Harvest.....	92

Table of Contents

4.2.3. Collection of root tips for isotope analysis	92
4.2.4. Analysis of root architecture.....	93
4.2.5. Isotope analysis of plant tissues.....	93
4.2.6. Calculations and statistical analysis	94
4.3. Results	94
4.3.1. Physiological response to drought.....	94
4.3.3. Growth parameters	95
4.3.4. ^{15}N uptake and partitioning.....	96
4.3.5. Total nitrogen and carbon concentrations	99
4.3.6. ^{15}N , total nitrogen and total carbon amounts in root tips.....	101
4.3.7. Correlation between different fractions of nitrogen (^{15}N and total N) in root tips and plant belowground and aboveground biomass	102
4.4. Discussion	103
4.5. References	106
CHAPTER 5: Girdling affects ectomycorrhizal fungal diversity and reveals functional differences of EMF community composition in a beech forest	117
5.1. Introduction	118
5.2. Materials and methods	119
5.2.1. Site description	119
5.2.2. Girdling and sampling scheme	121
5.2.3. Root analysis and ectomycorrhiza morphotyping	121
5.2.4. ITS-sequencing	121
5.2.5. Analysis of sequences.....	122
5.2.6. Carbohydrate analysis.....	123
5.2.7. Calculation of diversity indices and statistical analyses.....	123
5.2.3. Results	124
5.3.1. Girdling affects root demography but not EMF colonization of vital roots	124
5.3.2. Carbon storage pools are depleted slowly after girdling	126
5.3.3. Girdling leads to loss in ectomycorrhizal species	129
5.3.4 Girdling affects seasonal fluctuations in diversity and species richness but not in Evenness.	133
5.3.5. Diversity is related to root carbohydrate status and the ratio of dissolved organic carbon-to-dissolved organic nitrogen in soil	135
5.4. Discussion	137

Table of Contents

5.4.1. Recent assimilates as driver of EMF diversity	137
5.4.2. Functional ecological significance of diversity	138
Supplement 5.2	147
Supplement 5.3	148
Supplement 5.4	149
Supplement 5.5	150
Supplement 5.6	151
Supplement 5.7	152
Supplement 5.8	155
Supplement 6.8	156
Appendix 1	157
Appendix 2	168
Declaration	180
CHAPTER 4: Effects of ectomycorrhizal symbiosis on the nitrogen uptake capacities of young beech (<i>Fagus sylvatica</i>) seedlings under drought conditions, influenced by irradiance	180
Acknowledgements	181
Curriculum Vitae	183