




Patrick Schröter (Autor)  
**Magneto Photoluminescence and Ultrafast Spectroscopy on High-Mobility Two-Dimensional Electron Systems**

Patrick Schröter

---

**Magneto Photoluminescence and  
Ultrafast Spectroscopy on  
High-Mobility Two-Dimensional  
Electron Systems**

---



Cuvillier Verlag Göttingen

<https://cuvillier.de/de/shop/publications/2846>

Copyright:  
Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,  
Germany  
Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Physical background</b>	<b>5</b>
2.1	Bulk material . . . . .	5
2.2	2D system in a single-particle picture . . . . .	7
2.3	Doping and 2DEG . . . . .	8
2.4	Landau quantization . . . . .	9
2.5	Excitons . . . . .	12
2.5.1	Excitons in 2D . . . . .	13
2.5.2	Charged excitons . . . . .	14
2.6	Optical transitions . . . . .	16
2.7	Four wave mixing . . . . .	17
2.8	Quantum beats . . . . .	18
2.9	The relaxation regimes . . . . .	22
2.10	Excitation density . . . . .	23
<b>3</b>	<b>Sample design and preparation</b>	<b>25</b>
3.1	Samples . . . . .	25
3.2	Sample preparation . . . . .	27
<b>4</b>	<b>Experiments at milli-Kelvin temperatures</b>	<b>31</b>
4.1	Experimental setup . . . . .	31
4.2	Photoluminescence . . . . .	32
4.3	Gate dependencies and Fermi-edge singularity . . . . .	35
4.3.1	Published work on the FES . . . . .	35
4.3.2	FES at different voltages . . . . .	35
4.3.3	Summary . . . . .	40
4.4	2DEG regime in magnetic fields . . . . .	41
4.4.1	PL spectra around $\nu = 3$ . . . . .	42
4.4.2	PL spectra around $\nu = 1$ . . . . .	43
4.4.3	Shakeup effects and spin waves . . . . .	45

4.4.4	Low energy broadenings . . . . .	48
4.4.5	Light-hole like transition in $\sigma^-$ . . . . .	49
4.4.6	Summary . . . . .	50
4.5	Excitonic regime . . . . .	50
4.5.1	Front-gate dependence at $B = 0$ T . . . . .	51
4.5.2	Finite magnetic fields . . . . .	53
4.5.3	Back-gate dependence . . . . .	56
4.5.4	Summary . . . . .	62
<b>5</b>	<b>Time-resolved experiments</b>	<b>63</b>
5.1	Experimental setup . . . . .	63
5.1.1	Autocorrelation . . . . .	65
5.1.2	Pump-and-probe . . . . .	67
5.1.3	Absorption and photoluminescence . . . . .	68
5.2	Undoped samples . . . . .	68
5.2.1	Pump-and-Probe experiments . . . . .	69
5.2.2	Absorption measurements . . . . .	69
5.2.3	FWM experiments . . . . .	70
5.2.4	Summary . . . . .	72
5.3	The 2DEG regime around $\nu = 1$ . . . . .	73
5.3.1	PL measurements . . . . .	73
5.3.2	Absorption measurements . . . . .	74
5.3.3	FWM experiments . . . . .	78
5.3.4	Summary . . . . .	84
5.4	Measurements down to the excitonic regime . . . . .	84
5.4.1	PL measurements . . . . .	85
5.4.2	Absorption measurements . . . . .	89
5.4.3	FWM experiments . . . . .	91
5.4.4	Summary . . . . .	100
<b>6</b>	<b>Summary</b>	<b>101</b>
	<b>List of own publications</b>	<b>105</b>
	<b>Bibliography</b>	<b>106</b>
	<b>Contributions</b>	<b>113</b>