

CONTENTS

	Page
1 INTRODUCTION	1
2 MATERIALS AND METHODS	7
2.1 Survey and assessment of coffee wilt disease in Ethiopia	7
2.1.1 Survey areas	7
2.1.2 Disease assessment	7
2.1.3 Sample collection	7
2.2 Isolation, identification and characterization of <i>Gibberella xylarioides</i>	8
2.2.1 Isolation and identification from single coffee stems	8
2.2.2 Cultural and morphological characterization of isolates	9
2.2.2.1 Cultural colony characteristics	9
2.2.2.2 Conidial morphology	9
2.2.3 Characterization of the sexual teleomorphic state	9
2.2.4 Isolation from perithecia and segregating progeny studies	10
2.2.5 Preservation of isolates	10
2.3 Mating tests <i>in vitro</i>	10
2.4 Diversity in pathogenicity of <i>Gibberella xylarioides</i> and resistance of <i>Coffea</i> spp.	11
2.4.1 Fungal isolates	11
2.4.2 Description of coffee species, cultivars and lines	11
2.4.3 Raising of coffee seedlings	14
2.4.4 Inoculum preparation	14
2.4.5 Inoculation of coffee seedlings	14
2.4.6 Data collection and analysis	15
2.5 Random amplified polymorphic DNA (RAPD-PCR) analysis of <i>Gibberella xylarioides</i> isolates and other <i>Fusarium</i> spp. from <i>Coffea</i> spp.	16
2.5.1 Cultivation of the fungal isolates	16
2.5.2 DNA isolation from fungal mycelium	16
2.5.3 RAPD-PCR analysis	17
2.5.3.1 PCR components and reaction reagents	17
2.5.3.2 Agarose gel preparation and electrophoresis	18

3 RESULTS	20
3.1 History of the coffee wilt disease in Ethiopia	20
3.2 Symptoms and disease development of coffee wilt disease on Arabica coffee	20
3.3 Occurrence and distribution of coffee wilt disease in coffee production systems	22
3.4 Resistance and susceptibility of coffee cultivars to coffee wilt disease in the field	26
3.5 Influence of agronomic practices on coffee wilt incidence	29
3.5.1 Effect of close spacing and population density of coffee trees	29
3.5.2 Effect of replanting in fields infested with the coffee wilt pathogen	31
3.6 Isolation, identification and preservation of isolates	31
3.7 Cultural characteristics and conidial morphology of <i>Gibberella xylarioides</i>	32
3.7.1 Colony appearance	32
3.7.2 Conidial morphology	34
3.8 Description of sexual teleomorphic state	35
3.9 Mating tests	37
3.10 Segregating progenies from perithecia collected in the field	38
3.11 Pathogenic diversity and host specificity of the fungus and host resistance in coffee	39
3.12 RAPD–PCR analysis of <i>Gibberella xylarioides</i> populations	46
4. DISCUSSION	50
5. SUMMARY	68
6. REFERENCES	71
ACKNOWLEDGEMENTS	80
CURRICULUM VITAE	81