


Andrew Adegboyega Fatufe (Autor) Dose-response relationships between intake and efficiency of utilisation of individual amino acids in chicken



https://cuvillier.de/de/shop/publications/2968

Copyright: Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: https://cuvillier.de

Table of content	Page
1 Introduction	1
2 Approaches to study efficiency and requirement	3
2.1 The linear slope	3
2.2 Non-linear models and marginal efficiency	5
2.3 Cumulative efficiency	8
2.4 Estimation of amino acid requirement	9
3 Materials and Method	12
3.1 General procedures for the dose-response experiments	12
3.1.1 Animals, housing and diets	12
3.1.2 Killing and handling procedure	14
3.1.3 Processing of whole body samples	15
3.2 Details of the experiments	15
3.2.1 Lysine experiment	15
3.2.1.1 Dose-response experiment	15
3.2.1.2 Diets	16
3.2.2 Sulphur containing amino acid experiment	17
3.2.2.1 Dose-response experiment	17
3.2.2.2 Diets	18
3.2.3 Valine experiment	20
3.2.3.1 Dose-response experiment	20
3.2.3.2 Diets	20
3.2.4 Tryptophan experiment	22
3.2.4.1 Dose-response experiment	22
3.2.4.2 Diets	22
3.3 Digestibility studies	24
3.4 Chemical analysis	24
3.5 Calculations, statistical analysis and curve fitting	26
4 Results	28
4.1 Lysine experiment	28
4.1.1 Dose-response experiment	28
4.2 Sulphur containing amino acid experiment	37
4.2.1 Dose-response experiment	37
4.2.1.1 Response of broiler chicks to sulphur containing amino acid: Effect of methionine or methionine and cysteine supplementation	37

4.2.1.2 Response of broiler chicks to sulphur containing amino acid: Effect of crude protein level on methionine utilisation	47
4.3 Valine experiment	51
4.3.1 Dose response experiment	51
4.4 Tryptophan experiment	56
4.4.1 Dose-response experiment	56
4.5 Digestibity studies	59
5 Discussion	61
5.1 General discussion	61
5.2 Effect of increasing dietary amino acid concentration on the efficiency of amino acid utilisation	65
5.2.1 Efficiency of lysine utilisation	65
5.2.2 SAA utilisation	69
5.2.2.1 Efficiency of SAA utilisation	69
5.2.2.2 Effect of dietary crude protein concentration on the efficiency of methionine utilisation	70
5.2.3 Efficiency of valine utilisation	73
5.2.4 Efficiency of tryptophan utilisation	74
5.3 Amino acid requirement	77
5.3.1 Effect of increasing dietary lysine concentration on growth performance	77
5.3.2 Sulphur containing amino acid	78
5. 3.2.1 Effect of increasing SAA concentration on growth performance	78
5.3.2.2 Effect of crude protein concentration on methionine requirement	82
5.3.3 Effect of increasing valine concentration on growth performance	84
5.3.4 Effect of increasing tryptophan concentration on growth performance	85
5.4 Effect of amino acid intake on chemical body composition	86
5.4.1 Effect of increasing amino acid concentration on protein deposition and composition of gained body protein	86
5.4.1.1 Amino acid composition of gained body protein	89
5.4.2 Effect of increasing amino concentration on lipid deposition and lipid concentration in gained BW	92
5.5 Net disappearance rate	95
5.6 Conclusions	97
6 Summary	99
7 References	107
8 Appendices	117