

Acknowledgements

I would like to acknowledge my supervisor, Professor Hans-Peter Seidel, for his guidance and support during the last years, not only during my stay at the MPI, but also throughout my studies, since my early days in computer graphics as a student at the University of Erlangen-Nuremberg. I would like to thank him for introducing me to the world of computer graphics and providing an excellent environment for my research.

I am also very grateful to Professor Marc Stamminger for becoming an external reviewer of this thesis.

Especially I like to thank Professor Wolfgang Heidrich for many discussions related to the field of hardware-accelerated rendering and computer graphics techniques in general. The work with him aroused my interest in graphics hardware and hardware-related programming and OpenGL tricks.

I also owe thanks to Karol Myszkowski for proof-reading early versions of this thesis and providing valuable remarks and improvements. Special thanks also to Thomas Annen, who did most of the implementation for the algorithms in Chapter 4 and Chapter 6.

This thesis would not have been possible without the enormous support of my colleagues of the computer graphics group at the MPI throughout the last four years. Especially I would like to thank the following people (in alphabetical order): Kirill Dmitriev, Michael Goesele, Jan Kautz, Hendrik Lensch, Christian Rössl, Annette Scheel, Philipp Slusallek, Hartmut Schirmacher, and Jens Vorsatz.

Thanks also go to the developer support teams of ATI, especially Michael Doggett, and NVIDIA for providing early drivers, programming info, and hardware samples.

Finally I would like to thank Katja and my family for their support during the years of this thesis.