


Muhamad Bata (Autor)

The Use of Fibrolytic Enzymes to improve Quality of Rice Bran and Cottonseed Mael and its Effect on Nutrient Utilization and Performance of Fattening Weaner Holstein Bulls in Indonesia



https://cuvillier.de/de/shop/publications/3012

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: https://cuvillier.de

LIST OF CONTENT

		Page
	LIST OF TABLE	vii
	LIST OF FIGURE	ix
	LIST OF ABBREVIATIONS	X
1.	INTRODUCTION	1
2.	LITERATURE REVIEW	3
2.1.	Characteristics of cottonseed meal and rice bran as animal feed	3
2.1.1.	Cottonseed meal as protein sources	3
2.1.2.	Rice bran	4
2.2.	Fibrolytic enzymes	6
2.2.1.	The carbohydrate structure of plan	6
2.2.2.	Enzymology and characteristics of fibrolytic enzymes	7
2.2.2.1.	Source of fibrolytic enzymes	7
2.2.2.2.	Substrate specificity	8
2.2.2.3.	Enzyme assay	9
2.2.3.	Factor affecting enzyme effectiveness	11
2.2.4.	Mechanisms of enzyme action	13
2.2.5.	The utilisation of fibrolytic enzymes in animal feed	16
2.2.5.1.	Monogastrics	16
2.2.5.2.	Ruminants	17
2.2.6.	Application methods	18
2.3.	Feed intake	19
2.3.1.	Regulation of feed intake	19
2.3.2.	Factors affecting feed intake	21
2.3.3.	Effect of fibrolytic enzymes on feed intake	22
2.4.	Rumen metabolism	23
2.4.1.	Microbes	23
2.4.2.	Nitrogen	24

2.4.3.	Carbohydrates	27
2.4.4.	Effect fibrolytic enzymes on rumen condition	28
2.5.	Digestibility of nutrients	30
2.5.1.	The measurement of digestibility and its problem in ruminant	30
2.5.2.	Factors affecting digestibility	33
2.5.3.	Effect fibrolytic enzymes on digestibility	35
2.6.	Effect of fibrolytic enzymes on the growth rate	38
3.	EXPERIMENT 1.	
	DETERMINATION OF ENZYME ACTIVITY	40
3.1.	Objective	40
3.2.	Materials and methods	40
3.2.1.	Regent preparation for determining of reducing sugars	40
3.2.2.	Procedures of measurement unit activity of enzymes	40
3.2.2.1.	Activity of filter paper-ase (FP-ase)	41
3.2.2.2.	Determination of carboxymethylcellulose-ase (CMC-ase) and	41
	xylanase activity	
3.2.2.3.	Determination of β -glucosidase activity	41
3.2.3.	Data collection	42
3.3.	Result	42
3.4.	Discussion	43
3.5.	Conclusion	44
4.	EXPERIMENT 2.	
	EFFECT OF FIBROLYTIC ENZYME (CelluPract® AS 100)	
	TREATMENT ON IN VITRO DIGESTIBILITY OF	
	COTTONSEED MEAL AND RICE BRAN	46
4.1.	Objective	46
4.2.	Materials and methods	46
4.2.1.	Keeping maintenance of fistulated animals	46
4.2.2.	Experimental design	46

4.2.3	Preparation of sample	47
4.2.4.	In Vitro Gas Test	47
4.2.4.1.	Preparation of solution	47
4.2.4.2.	Formulation of medium	47
4.2.4.3.	Collection of rumen liquor	47
4.2.4.4.	Incubation of sample	48
4.2.4.5.	Data collection	49
4.2.5.	Nylon bag technique to estimate in vitro digestibility	49
4.2.5.1.	Procedures	49
4.2.5.2.	Data collection	50
4.2.6.	Determination of undegradable intake protein (UIP)	50
4.2.6.1.	Procedures	50
4.2.6.2.	Data collection	51
4.3.	Statistical analysis	51
4.4.	Result	51
4.4.1.	Nutrient composition of rice bran (RB) and cottonseed meal (CSM)	51
4.4.2.	Total gas production and metabolizable energy (ME)	52
4.4.2.1.	Rice bran	52
4.4.2.2.	Cottonseed meal	52
4.4.3.	Undegradable intake protein and nutrients digestibility	53
4.4.3.1.	Rice bran	53
4.4.3.2.	Cottonseed meal	55
4.5.	Discussion	56
4.5.1.	Nutrient composition of rice bran and cottonseed meal	56
4.5.2.	Gas production and metabolizable energy	57
4.5.3.	Nutrient digestibility and undegradable intake protein (UIP) in-vitro	61
4.6.	Conclusion	63

5	EXPERIMENT 3.		
	THE EFFECT OF ADDING CelluPract® AS100 FIBROLYTIC ENZYME TO COTTONSEED MEAL AND RICE BRAN ON		
	DIGESTIBILITY OF NUTRIENT IN LOCAL MALE SHEEP		
	FED NAPIER GRASS AS BASAL RATION	64	
5.1.	Objective	64	
5.2.	Materials and methods	64	
5.2.1.	Animals	64	
5.2.2.	Housing	64	
5.2.3.	Diets	64	
5.2.4.	Experimental procedures	65	
5.2.4.1.	Experimental design	65	
5.2.4.2.	Feeding and management	66	
5.2.4.3.	Sample collection	66	
5.3.	Data analysis	67	
5.4.	Results	67	
5.4.1.	Digestibility coefficients of a Napier grass diet supplemented		
	cottonseed meal with and without CelluPract® AS 100 fibrolytic		
	enzymes treatment	67	
5.4.2.	Digestibility coefficients of a Napier grass diet supplemented rice		
	bran with and without CelluPract® AS 100 fibrolytic enzymes	68	
	treatment		
5.5.	Discussion	68	
5.6.	Conclusion	71	
6	EXPERIMENT 4.		
	THE EFFECT OF FIBROLYTIC ENZYME CelluPract® AS 100		
	TREATMENT OF RICE BRAN AND COTTONSEED MEAL		
	ON DIGESTIBILITY AND BALANCE OF NITROGEN AND		
	ENERGY OF DIETS FOR FATTENING HOLSTEIN WEANER		
	BULLS	72	

6.1.	Objectives	72
6.2.	Materials and methods	72
6.2.1.	Animals	72
6.2.2.	Housing	72
6.2.3.	Diets	72
6.2.4.	Experimental procedures	74
6.2.4.1.	Experimental design	74
6.2.4.2.	Feeding and management	74
6.2.4.3.	Sample collection	74
6.2.4.4.	Collection of samples of rumen and blood parameters	75
6.3.	Statistical analysis	75
6.4.	Result	76
6.4.1.	Nutrient digestibility of diets	76
6.4.2.	Nitrogen and energy balance	77
6.4.2.1.	Nitrogen balance	77
6.4.2.2.	Energy balance	80
6.4.3.	Blood and rumen parameters	82
6.5.	Discussion	83
6.5.1.	Nutrient digestibility of diets	83
6.5.2.	Rumen parameters	86
6.5.3.	Blood parameters	89
6.5.4.	Nitrogen and energy balance	90
6.6.	Conclusion	93
7	EXPERIMENT 5.	
	THE EEFECT OF ADDING CelluPract® AS 100 FIBROLYTIC	
	ENZYMES TO RICE BRAN AND COTTONSEED MEAL ON	
	PERFORMANC OF WEANER HOLSTEIN BULLS	94
7.1.	Objective	94
7.2.	Materials and methods	94
7.2.1.	Animals	94

7.2.2.	Housing	94
7.2.3.	Diets	94
7.2.4.	Experimental procedures	95
7.2.4.1.	Experimental design	95
7.2.4.2.	Feeding and management	96
7.2.4.3.	Statistical analysis	96
7.3.	Result	96
7.3.1.	Crude protein, organic matter and gross energy intake	96
7.3.2.	Performance of weaner Holstein bulls	98
7.3.3.	Feed cost value and economic return	99
7.4.	Discussion	101
7.5	Conclusion	104
8	GENERAL DISCUSSION	105
9	CONCLUSION	114
	SUMMARY	115
	LIST OF LITERATURE	119