

TABLE OF CONTENT

LIST OF FIGURESIX

LIST OF TABLESX

CHAPTER I

GENERAL INTRODUCTION1

1.1. GASTROINTESTINAL NEMATODE INFECTION IN SHEEP.....	2
1.2. STRATEGIC CONTROL OF GASTROINTESTINAL NEMATODES	5
1.2.1. <i>Anthelmintic treatments</i>	5
1.2.1.1. Anthelmintic resistance (AR).....	5
1.2.1.2. Targeted selective treatment.....	6
1.2.2. <i>Grazing management</i>	6
1.2.3. <i>Dietary supplementation</i>	7
1.2.4. <i>Vaccination</i>	8
1.2.5. <i>Biological control</i>	8
1.2.6. <i>Breeding for resistance</i>	9
1.2.6.1. Selection among breeds.....	9
1.2.6.2. Cross-breeding	10
1.2.6.3. Selection within breeds	10
REFERENCES	12

CHAPTER II

GASTROINTESTINAL NEMATODE INFECTIONS IN GERMAN SHEEP 19

ABSTRACT	20
2.1. INTRODUCTION	21
2.2. MATERIALS AND METHODS	22
2.2.1. <i>Animals and study areas</i>	22
2.2.2.. <i>Parasitological measurements</i>	22
2.2.3. <i>Data analysis</i>	23
2.3. RESULTS AND DISCUSSION	24
2.3.1. <i>Faecal egg counts</i>	24
2.3.2. <i>Larval cultures</i>	27
2.3.3. <i>Effect of sex, type of birth and age of lambs</i>	28
2.3.4. <i>Between and within breed variations</i>	30
2.4. CONCLUSION	32
REFERENCES	33

CHAPTER III

**INDIRECT INDICATORS OF GASTROINTESTINAL NEMATODE INFECTIONS
IN LAMBS** 37

ABSTRACT	38
3.1. INTRODUCTION	39
3.2. MATERIALS AND METHODS.....	40

3.2.1. Animals.....	40
3.2.2. Parasitological measurements	40
3.2.3. Tested potential indicator traits (TPIT)	40
3.2.3. Data analysis.....	41
3.3. RESULTS	42
3.4. DISCUSSION.....	48
3.5. CONCLUSION	51
REFERENCES	52

CHAPTER IV

GENETIC RESISTANCE TO NATURAL GASTROINTESTINAL NEMATODE INFECTIONS IN GERMAN SHEEP 55

ABSTRACT	56
4.1. INTRODUCTION	57
4.2. MATERIALS AND METHODS	58
4.2.1. Animals.....	58
4.2.2. Faeces analysis	59
4.2.3. Tested potential indicator traits (TPIT)	59
4.2.3. Data analysis.....	59
4.3. RESULTS	60
4.3.1. Faecal examination.....	60
4.3.2. Heritabilities.....	62
4.3.3. Relationship between FEC and potential indicator traits.....	63
4.3.3. Relationships among potential indicator traits.....	64
4.4. DISCUSSION.....	66
4.4.1. Heritabilities.....	66
4.4.2. Relationship between FEC and potential indicator traits.....	68
4.4.3. Relationship among the potential indicator traits.....	69
4.5. CONCLUSION	69
REFERENCES	70

CHAPTER V

IS THE ESTABLISHMENT RATE AND FECUNDITY OF *HAEMONCHUS CONTORTUS* RELATED TO BODY OR ABOMASAL MEASUREMENTS IN SHEEP?..... 75

ABSTRACT	76
5.1. INTRODUCTION	77
5.2. MATERIALS AND METHODS	78
5.2.1. Experimental flock and design.....	78
5.2.2. Body measurements.....	78
5.2.3. Faecal egg counts.....	79
5.2.4. Necropsy procedure and abomasal measurements.....	80
5.2.5. Statistical analysis.....	80
5.3. RESULTS AND DISCUSSION	81
5.3.1. Body and abomasal measurements	81
5.3.2. Parasitological parameters.....	84
5.3.3. Relation between morphometric and parasitological parameters.....	86

5.4. CONCLUSION	88
REFERENCES	89
CHAPTER VI	
GENERAL DISCUSSION AND CONCLUSION.....	93
6.1. PREVALENCE OF GASTROINTESTINAL NEMATODES	94
6.2. SELECTIVE TREATMENT.....	95
6.3. GENETIC VARIATIONS BETWEEN AND WITHIN BREEDS	96
6.4. CONCLUSION	98
REFERENCES	99
SUMMARY.....	102
ZUSAMMENFASSUNG	104
LIST OF PHD-RELATED PUBLICATIONS.....	107
CURRICULUM VITAE	108