



Nermin El-Halawany (Autor)

## **Expression analysis of developmental key genes in in vitro produced cattle embryos**



Arbeiten aus dem  
Institut für Tierzuchtwissenschaft  
Rheinische Friedrich-Wilhelms-Universität zu Bonn

Nermin El-Halawany

Expression analysis of developmental key  
genes in in vitro produced cattle embryos

Heft: 120



**Cuvillier Verlag Göttingen**

<https://cuvillier.de/de/shop/publications/3119>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,  
Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

| Contents  | page |
|---|------|
| Abstract  | III  |
| List of abbreviations   | X    |
| List of tables  | XIV  |
| List of figures   | XV   |
| 1 Introduction  | 1    |
| 2 Literature review   | 3    |
| 2.1 Preimplantation development                               | 3    |
| 2.1.1 Oocyte maturation                                       | 3    |
| 2.1.2 Cleavage  | 3    |
| 2.1.3 Compaction and blastocyst formation                     | 4    |
| 2.1.4 Implantation  | 4    |
| 2.2 Genetic control of early embryonic development            | 5    |
| 2.2.1 Expression of maternal genes                            | 5    |
| 2.2.2 Genome activation                                       | 6    |
| 2.2.3 Genetic control of cleavage and blastocyst formation    | 7    |
| 2.2.3.1 Small nuclear RNAs (snRNAs)                           | 8    |
| 2.2.3.2 Genes encoding cytoskeletal elements                  | 8    |
| 2.2.3.3 Cell adhesion and tight junction polypeptides         | 9    |
| 2.2.3.4 Extracellular matrix components                       | 10   |
| 2.2.3.5 Genes encoding membrane channels and ion transporters | 10   |
| 2.2.3.6 Growth factors and binding proteins                   | 11   |
| 2.3 In vitro production of cattle embryos                     | 12   |
| 2.3.1 Effect of in vitro culture on the embryonic development | 12   |
| 2.3.1.1 Timing of development, cell number and allocation     | 12   |
| 2.3.1.2 Chromosomal abnormalities                             | 13   |
| 2.3.1.3 Ultrastructure  | 13   |
| 2.3.1.4 Metabolic activities                                  | 14   |
| 2.3.1.5 Apoptosis   | 14   |

|             |  |    |
|-------------|--|----|
| 2.3.1.6     | Survival after transfer and fetal development  | 15 |
| 2.3.2       | Effects of IVP on gene expression levels   | 15 |
| 2.3.2.1     | Comparative aspects of some embryonic gene expression in embryos derived in vitro or in vivo | 16 |
| 2.3.2.1.1   | Genes related to stress and apoptosis  | 16 |
| 2.3.2.1.2   | Genes related to cell communication and gap junctions  | 16 |
| 2.3.2.1.3   | Genes encoding growth factors  | 17 |
| 2.4         | Expressed sequence tag (EST)   | 18 |
| 2.5         | Detection and isolation of differentially expressed genes                                    | 18 |
| 2.5.1       | Differential display PCR   | 19 |
| 2.5.2       | Suppression subtractive hybridization  | 20 |
| 2.6         | Quantification of mRNA   | 21 |
| 2.6.1       | Northern analysis  | 21 |
| 2.6.2       | RNase protection assay   | 21 |
| 2.6.3       | In situ hybridization  | 22 |
| 2.6.4       | cDNA array   | 22 |
| 2.6.5       | Reverse transcription RT-PCR   | 22 |
| 2.6.5.1     | Real-time PCR  | 23 |
| 2.6.5.1.1   | Chemistries  | 23 |
| 2.6.5.1.1.1 | DNA-binding dyes   | 24 |
| 2.6.5.1.2   | Normalization  | 24 |
| 3           | Materials and methods  | 26 |
| 3.1         | Materials  | 26 |
| 3.1.1       | Embryos  | 26 |
| 3.1.2       | Equipment  | 26 |
| 3.1.3       | Used softwares   | 26 |
| 3.1.4       | Chemicals and kits   | 27 |
| 3.1.5       | Solutions and buffers  | 27 |

|          |   |    |
|----------|---|----|
| 3.1.6    | Primers                                   | 31 |
| 3.2      | Methods                                   | 32 |
| 3.2.1    | Embryo production in vitro                | 32 |
| 3.2.1.1  | Oocyte maturation in vitro                | 32 |
| 3.2.1.2  | Fertilization                             | 33 |
| 3.2.1.3  | In vitro culture                          | 33 |
| 3.2.2    | Messenger RNA isolation                   | 34 |
| 3.2.3    | Suppression subtractive hybridization     | 35 |
| 3.2.3.1  | Driver and tester cDNA synthesis          | 35 |
| 3.2.3.2  | cDNA subtraction                          | 36 |
| 3.2.3.3  | Differential screening and clone analysis | 37 |
| 3.2.4    | Sequencing                                | 38 |
| 3.2.5    | Identification of cDNA sequences          | 38 |
| 3.2.6    | Primer design                             | 39 |
| 3.2.7    | Reverse transcription and cDNA synthesis  | 39 |
| 3.2.8    | ESTs isolation and amplification PCR      | 39 |
| 3.2.9    | PCR product purification                  | 39 |
| 3.2.10   | Cloning                                   | 40 |
| 3.2.10.1 | Ligation                                  | 40 |
| 3.2.10.2 | Transformation                            | 40 |
| 3.2.10.3 | Screening of the transformants            | 40 |
| 3.2.10.4 | M13 PCR                                   | 41 |
| 3.2.11   | Plasmid isolation                         | 41 |
| 3.2.11.1 | Preparing of the plasmid serial dilutions | 42 |
| 3.2.12   | Real-time PCR                             | 42 |
| 3.2.12.1 | Amplicon independent amplification        | 43 |
| 3.2.12.2 | Optimization of the PCR conditions        | 44 |
| 3.2.12.3 | Quantification                            | 46 |
| 3.2.12.4 | Precision and the use of replicates       | 46 |
| 3.2.12.5 | Replicate plates                          | 47 |
| 3.2.12.6 | PCR                                       | 47 |
| 3.2.13   | Statistical analysis                      | 47 |

|         |   |     |
|---------|---|-----|
| 4       | Results   |     |
| 4.1     | Sequence analysis of differentially expressed clones  | 49  |
| 4.2     | Quantification of the expression levels of selected 19 genes  | 52  |
| 4.2.1   | Establishment of standard curves  | 53  |
| 4.2.2   | Results of pooled embryos   | 54  |
| 4.2.3   | Results of single embryos   | 65  |
| 4.2.3.1 | Expression profiles of clone 9 (CLIC1) in single in vitro produced embryos of different qualities and in vivo produced embryos                    | 65  |
| 4.2.3.2 | Expression profiles of clone 33 (HSP 70.1) in single in vitro produced embryos of different qualities and in vivo produced embryos                | 67  |
| 4.2.3.3 | Expression profiles of clone 242 (EF 1 $\alpha$ ) in single in vitro produced embryos of different qualities and in vivo produced embryos         | 68  |
| 4.2.3.4 | Expression profiles of clone 201 (ATP-synthase $\alpha$ ) in single in vitro produced embryos of different qualities and in vivo produced embryos | 70  |
| 4.2.3.5 | Expression profiles of clone 259 ( $\gamma$ Actin) in single in vitro produced embryos of different qualities and in vivo produced embryos        | 71  |
| 4.2.4   | Power calculations  | 73  |
| 4.2.5   | Comparison of gene expression profiles in single versus pooled embryos  | 75  |
| 5       | Discussion  | 78  |
| 5.1     | Identification of differentially expressed ESTs   | 79  |
| 5.2     | Quantification of differentially expressed genes  | 80  |
| 5.2.1   | Analysis the expression patterns of the differentiated clones   | 82  |
| 5.3     | Future prospects for analysis of the candidate genes in the developing embryos  | 101 |

|   |                 |     |
|---|-----------------|-----|
| 6 | Summary         | 103 |
| 7 | Zusammenfassung | 107 |
| 8 | References      | 111 |