



Amphon Waritthitham (Autor)

Assessment of Quality Beef Production in Northern Thailand

Department of Animal Sciences
Georg-August-University Göttingen, Germany



Assessment of Quality Beef Production in Northern Thailand



Amphon Waritthitham

 Cuvillier Verlag Göttingen
internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/853>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

TABLE OF CONTENTS

ACKNOWLEDGEMENTS.....	v
TABLE OF CONTENTS.....	vii
LIST OF TABLES.....	x
LIST OF FIGURES.....	xii
LIST OF APPENDICES.....	xiii
LIST OF ABBREVIATIONS.....	xiv
SUMMARY.....	1
Chapter 1 General introduction.....	7
1.1 Foreword.....	8
1.2 Objectives of the study.....	10
1.3 Literature review.....	10
1.3.1 Beef cattle in Thailand	10
a. Beef cattle population.....	10
b. Beef cattle production system at village level.....	11
c. Fattening beef cattle production system.....	12
d. Beef market in Thailand.....	12
1.3.2 Beef cattle breeds in Thailand.....	14
a. Thai native cattle.....	14
b. Brahman cattle.....	14
c. Charolais cattle.....	15
1.3.3 Carcass standards and quality.....	15
a. European standard for beef carcass.....	15
b. The United States standard for grades of carcass beef..	16
c. Thai standard for beef.....	16
1.3.4 Beef quality.....	17
a. Colour.....	18
b. Marbling (intramuscular fat).....	19
c. Tenderness.....	19
d. Flavour.....	21
e. Juiciness.....	21
1.3.5 Effect of genotype/breed and slaughter weight on carcass and beef quality.....	22
Chapter 2 Materials and methods.....	27
2.1 Animals and feeding.....	28
2.2 Live weight, body muscle score and body measurements.....	32
2.3 Slaughtering and slaughter traits.....	32
2.4 Carcass quality evaluation.....	32
2.4.1 Carcass classification.....	32
2.4.2 Carcass measurements.....	33
2.4.3 Carcass tissue compositions.....	33
2.4.4 Meat pH, colour, loin eye area and marbling score.....	33
2.4.5 Commercial primal cuts.....	34
2.5 Meat quality evaluation.....	34
2.5.1 Moisture, ash, crude protein and crude fat.....	35
2.5.2 Collagen.....	35
2.5.3 Triglyceride and cholesterol.....	35
2.5.4 Fatty acid.....	36
2.5.5 Drip loss.....	36

2.5.6 Ageing loss.....	36
2.5.7 Thawing loss.....	36
2.5.8 Boiling loss.....	37
2.5.9 Grilling loss.....	37
2.5.10 Shear force value.....	37
2.5.11 Sensory evaluation.....	37
2.6 Muscle fiber characteristics.....	38
2.7 Statistical analysis.....	38
Chapter 3 Assessment of beef production from Brahman × Thai native and Charolais × Thai native crossbred bulls slaughtered at different weights. I: Growth performance and carcass quality.....	39
3.1 Abstract.....	40
3.2 Introduction.....	40
3.3 Materials and methods.....	41
3.3.1 Animals and feeding.....	41
3.3.2 Growth performance.....	41
3.3.3 Carcass quality.....	42
3.3.4 Commercial primal cuts.....	42
3.3.5 Statistical analysis.....	42
3.4 Results.....	42
3.4.1 Growth performance.....	42
3.4.2 Carcass quality.....	43
3.4.3 Commercial primal cuts.....	43
3.5 Discussion.....	45
3.6 Conclusions.....	47
3.7 Acknowledgements.....	48
3.8 Additional results.....	48
Chapter 4 Assessment of beef production from Brahman × Thai native and Charolais × Thai native crossbred bulls slaughtered at different weights. II: Meat quality.....	51
4.1 Abstract.....	52
4.2 Introduction.....	52
4.3 Materials and methods.....	53
4.3.1 Animals and feeding.....	53
4.3.2 Meat quality evaluation.....	54
4.3.3 Meat chemical composition analysis.....	55
4.3.4 Muscle fiber area.....	55
4.3.5 Statistical analysis.....	55
4.4 Results.....	56
4.4.1 Meat chemical composition.....	56
4.4.2 Meat quality traits.....	56
4.4.3 Water holding capacity and eating quality.....	57
4.5 Discussion.....	58
4.6 Conclusions.....	62
4.7 Acknowledgements.....	62
Chapter 5 Fatness parameters and intramuscular fatty acid composition of <i>Longissimus dorsi</i> muscle of Brahman × Thai native and Charolais × Thai native bulls.....	63
5.1 Abstract.....	64
5.2 Introduction.....	65
5.3 Materials and methods.....	65

5.3.1 Animals and feeding.....	65
5.3.2 Fatness parameters.....	66
5.3.3 Fatty acid analysis.....	66
5.3.4 Statistical analysis.....	67
5.4 Results.....	67
5.4.1 Fatness parameters.....	67
5.4.2 Intramuscular fatty acid composition.....	68
5.4.3 Intramuscular fatty acid ratios.....	68
5.5 Discussion.....	68
5.6 Conclusions.....	74
5.7 Acknowledgements.....	75
Chapter 6 Muscle fiber characteristics and their relationship to water holding capacity of <i>Longissimus dorsi</i> muscle in Brahman and Charolais crossbred bulls.....	77
6.1 Abstract.....	78
6.2 Introduction.....	79
6.3 Materials and methods.....	79
6.3.1 Animals and feeding.....	79
6.3.2 Slaughtering and water holding capacity determination..	80
6.3.3 Muscle fiber characteristics.....	80
6.3.4 Statistical analysis.....	82
6.4 Results.....	82
6.4.1 Water holding capacity parameters.....	82
6.4.2 Muscle fiber characteristics.....	82
6.4.3 Relationship between muscle fiber characteristics and water holding capacity.....	83
6.5 Discussion.....	84
6.6 Conclusions.....	87
6.7 Acknowledgements.....	87
Chapter 7 General discussion and recommendations.....	89
7.1 Quality beef production in Northern Thailand.....	90
7.2 Growth performance of crossbred cattle finished in Northern Thailand.....	90
7.3 Carcass yield and quality.....	91
7.4 Carcass tissue composition and primal cut distribution.....	92
7.5 Marbling score of <i>Longissimus dorsi</i> muscle.....	93
7.6 Fatty acid composition of <i>Longissimus dorsi</i> muscle	93
7.7 Meat pH and pre-slaughter handling.....	95
7.8 Meat tenderness and carcass ageing.....	96
7.9 Muscle fiber characteristics.....	97
7.10 Conclusions and recommendations.....	98
REFERENCES.....	101
APPENDICES.....	119
CURRICULUM VITAE.....	137

LIST OF TABLES

Table 1.1	Number of beef cattle inventory in part of Thailand during 2005 - 2008.....	11
Table 1.2	Number of beef cattle in Thailand inventory in breed and gender in 2008.....	11
Table 1.3	Beef import to Thailand 2005-2008.....	13
Table 2.1	Chemical composition of cattle feed	28
Table 3.1	Effects of genotype and slaughter weight on growth performance of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) crossbred bulls.....	43
Table 3.2	Effects of genotype and slaughter weight on carcass quality of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) crossbred bulls.....	44
Table 3.3	Effects of genotype and slaughter weight on commercial primal cuts of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) crossbred bulls.....	44
Table 3.4	Effects of genotype and slaughter weight on body measurements of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) crossbred bulls.....	48
Table 3.5	Effects of genotype and slaughter weight on external and internal organ percentages of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) crossbred bulls.....	49
Table 3.6	Effects of genotype and slaughter weight on carcass measurements of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) crossbred bulls.....	50
Table 4.1	Effects of genotype and slaughter weight on chemical composition of <i>Longissimus dorsi</i> muscle of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) crossbred bulls.....	56
Table 4.2	Effects of genotype and slaughter weight on meat quality traits of <i>Longissimus dorsi</i> muscle of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) crossbred bulls	57
Table 4.3	Effects of genotype and slaughter weight on water holding capacity and sensory evaluation of <i>Longissimus dorsi</i> muscle of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) crossbred bulls	58
Table 5.1	Effects of genotype and slaughter weight on fatness parameters of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) bulls.....	67
Table 5.2	Effects of genotype and slaughter weight on fatty acid composition of <i>Longissimus dorsi</i> muscle of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) bulls.....	69
Table 5.3	Effects of genotype and slaughter weight on fatty acid ratios of <i>Longissimus dorsi</i> muscle of Brahman × Thai native (BRA) and Charolais × Thai native (CHA) bulls	70
Table 6.1	Effects of genotype and slaughter weight on water holding capacity of <i>Longissimus dorsi</i> muscle of Brahman (BRA) and Charolais (CHA) crossbred bulls.....	82