



Condro Utomo (Autor)

Studies on molecular diagnosis for detection, identification and differentiation of *Ganoderma*, the causal agent of basal stem rot disease in oil palm

Condro Utomo

**Studies on molecular diagnosis for detection,
identification and differentiation of *Ganoderma*,
the causal agent of basal stem rot disease in oil palm**



Cuvillier Verlag Göttingen

<https://cuvillier.de/de/shop/publications/3628>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

Summary	i
Acknowledgement	iv
Abbreviations	v
Index of Figures	vii
Index of Tables	ix
1 Introduction	1
2 Materials and Methods	7
2.1 Media, reagents and chemicals	7
2.1.1 Media for fungi	7
2.1.2 Reagents and buffers for DNA extraction	8
2.1.3 Reagents and buffers for PCR	9
2.1.4 Media and reagents for cloning and sequencing	12
2.1.4.1 Media for propagation of <i>Escherichia coli</i>	12
2.1.4.2 Reagents for cloning and sequencing	13
2.1.5 Solution and buffers for agarose gel electrophoresis	14
2.1.6 Other chemicals and kits	15
2.1.7 Fungal isolates	16
2.2 Detection of <i>Ganoderma</i> in oil palm based on PCR	19
2.2.1 Preparation of oil palm root and fungal samples	19
2.2.2 DNA extraction methods	20
2.2.3 Determination of DNA concentration by optical density measures	21
2.2.4 Primer design and evaluation	22
2.2.4.1 Primer design and PCR conditions	22
2.2.4.2 Determination of detection limit of oil palm <i>Ganoderma</i> DNA and specificity of primers	23
2.3 Development of molecular diagnosis for identification and differentiation of oil palm <i>Ganoderma</i> against other <i>Ganoderma</i> species derived from laccase, ITS region, IGS1 region and Mn-SOD genes	24
2.3.1 DNA extraction	24
2.3.2 Primer design and PCR conditions	25
2.3.2.1 Laccase gene	25
2.3.2.2 ITS, IGS1 regions, Mn-SOD gene and restriction fragment length polymorphisms (RFLP) analyse	26
2.3.3 Cloning of PCR products	27
2.3.3.1 Cloning of laccase genes into plasmid pTZ19R	27
2.3.3.2 Cloning of ITS, IGS1 and Mn-SOD gene using the TOPO cloning kit	29
2.3.4 Sequencing of plasmid inserted with PCR product	30
2.3.5 Nucleotide sequence data analysis	31

3 Results	35
3.1 Detection of oil palm <i>Ganoderma</i>	35
3.1.1 Primer designs from ITS region and determination of detection limits of the generated primers	35
3.1.2 Cross reaction test of saprophytic fungi by using three primer sets	37
3.1.3 Detection of <i>Ganoderma</i> DNA from naturally infected oil palm roots	40
3.2 Identification and differentiation of oil palm <i>Ganoderma</i> based on laccase genes	42
3.2.1 Primer design and PCR amplification of <i>Ganoderma</i> DNA using the primer pairs designed from the laccase genes	42
3.2.2 Characterization of the nucleotide sequences of PCR products of oil palm <i>Ganoderma</i> isolate BS amplified using primer pairs Lac 2a-Lac 2b, Lac 2a-Lac 2r and Lac 2f-Lac 2b	49
3.2.3 Evaluation of primer specificity of Lac 2a-Lac 2b in the PCR amplification of oil palm <i>Ganoderma</i> DNA	59
3.2.3.1 PCR amplifications using primer pair Lac 2a-Lac 2b with different concentrations of <i>Taq</i> polymerase and MgCl ₂	59
3.2.3.2 PCR Amplification of the DNA fragment of <i>Ganoderma</i> Lac 1700 (designation pU1700) using the primer pair Lac 2a-Lac 2b at different temperatures, concentrations of <i>Taq</i> polymerase and MgCl ₂ .	60
3.2.4 Primer specificity for oil palm <i>Ganoderma</i> designed from specific nucleotide sequence corresponding to conserved amino acid sequence of ILHCHI and introns of <i>Ganoderma</i> Lac 1700 fragment	61
3.3 Identification and differentiation of oil palm <i>Ganoderma</i> based on ITS, Mn-SOD and IGS1 genes	66
3.3.1 ITS region and ITS-RFLP analyses	66
3.3.1.1 ITS region sequences	66
3.3.1.2 Restriction fragment length polymorphism (RFLP) analysis for characterizing the PCR product of the ITS region of oil palm <i>Ganoderma</i>	66
3.3.2 Species-specific primer design for oil palm <i>Ganoderma</i> and PCR amplification	71
3.3.3 Specificity tests of the primer sets IT1-IT2 and IT1-IT3 for <i>Ganoderma</i>	76
3.3.4 Phylogenetic analysis of oil palm <i>Ganoderma</i> based on ITS1 and ITS2 regions	79
3.4 Identification of oil palm <i>Ganoderma</i> based on the Mn-SOD gene sequence	82
3.4.1 Primer design and PCR amplification	82
3.4.2 Phylogenetic analysis of oil palm <i>Ganoderma</i>	85
3.5 Identification and differentiation of oil palm <i>Ganoderma</i> based on the IGS1 region	89
3.5.1 IGS1 sequence and IGS1-RFLP analysis	89

3.5.1.1	Determination of the IGS1 region of 13 <i>Ganoderma</i> isolates	89
3.5.1.2	Nucleotide sequences of the IGS1 region from 13 <i>Ganoderma</i> isolates	89
3.5.2	IGS1-RFLP analyses for oil palm <i>Ganoderma</i>	96
3.5.3	Species-specific primer design for oil palm <i>Ganoderma</i> isolates	98
3.5.4	Phylogeny analysis of the IGS1 region	100
4	Discussion	103
4.1	Detection of oilpalm <i>Ganoderma</i>	103
4.2	Identification and differentiation of oil palm <i>Ganoderma</i>	105
5	Perspectives	116
6	Zusammenfassung	117
7	References	120
8	Appendixes	134
	Curriculum vitae	
	Declaration (in German)	