



Adela Kalivoda (Autor)

## **Solubility enhancement of poorly water-soluble drugs by solid dispersion**

a comparison of two manufacturing methods

Adela Kalivoda

### **Solubility enhancement of poorly water-soluble drugs by solid dispersion**

a comparison of two manufacturing methods



Cuvillier Verlag Göttingen  
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/6097>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Solubility enhancement of poorly soluble drugs . . . . .	1
1.1.1	Methods of solubility enhancement . . . . .	1
1.2	Solid dispersions . . . . .	2
1.2.1	Definition and historical background . . . . .	2
1.2.2	Methods of manufacture . . . . .	4
1.2.3	Proposed mechanisms of drug dissolution from solid dispersion systems . . . . .	4
1.3	Ultrasound-assisted compaction technique . . . . .	5
1.3.1	Introduction . . . . .	5
1.3.2	Effects of ultrasound-assisted compaction technique on the material . . . . .	7
1.3.3	Application of ultrasound-assisted compaction technique in the pharmaceutical sector . . . . .	7
1.4	Hot-melt extrusion . . . . .	9
1.4.1	Introduction . . . . .	9
1.4.2	Application of polymeric blends as carriers in hot-melt extrusion . . . . .	10
1.5	Manufacture of solid dispersions using the applied drugs . . . . .	11
1.5.1	Solid dispersions with fenofibrate . . . . .	11
1.5.2	Solid dispersions with felodipine . . . . .	11
1.5.3	Solid dispersions with oxeglitazar . . . . .	12
<b>2</b>	<b>Outline and aims of this work</b>	<b>13</b>
<b>3</b>	<b>Results and discussion</b>	<b>15</b>
3.1	Ultrasound-assisted compaction technique . . . . .	15
3.1.1	Introduction and objectives . . . . .	15
3.1.2	Developing a design of experiments . . . . .	16
3.1.3	Ultrasound-assisted compaction of pure polymers . . . . .	18
3.1.4	Reproducibility of results . . . . .	21
3.1.5	Ultrasound-assisted compaction of fenofibrate and various polymeric carriers . . . . .	23
3.1.6	Effect of the polymer on the dissolution profile . . . . .	27
3.1.7	Evaluation of the equipment . . . . .	28
3.2	Solubility enhancement of fenofibrate via hot-melt extrusion . . . . .	30
3.2.1	Introduction and objectives . . . . .	30
3.2.2	Hot-melt extrusion of fenofibrate with single polymeric carriers . . . . .	31
3.2.3	Milling of the extrudates . . . . .	40

3.2.4	Content uniformity of the extrudates . . . . .	43
3.2.5	Influence of the die diameter on pellet size and release characteristics .	44
3.2.6	Hot-melt extrusion of fenofibrate with mixtures of polymeric carriers .	45
3.2.7	Effect of an additional polymer in the dissolution medium on the su- persaturation stability of fenofibrate extrudate . . . . .	54
3.2.8	Storage stability of fenofibrate extrudates . . . . .	55
3.3	Solubility enhancement of oxeglitazar via hot-melt extrusion . . . . .	62
3.3.1	Introduction and objectives . . . . .	62
3.3.2	Hot-melt extrusion of oxeglitazar with single polymeric carriers . . . .	63
3.3.3	Hot-melt extrusion of oxeglitazar with mixtures of polymeric carriers .	67
3.3.4	Variation of the COP:HPMC ratio in oxeglitazar extrudates . . . . .	72
3.3.5	24 h dissolution profiles of oxeglitazar extrudates . . . . .	75
3.3.6	Addition of a disintegrant to oxeglitazar extrudates . . . . .	77
3.3.7	Surface morphology of oxeglitazar extrudates . . . . .	79
3.3.8	Storage stability of oxeglitazar extrudates . . . . .	81
3.4	Solubility enhancement of felodipine via hot-melt extrusion . . . . .	83
3.4.1	Introduction and objectives . . . . .	83
3.4.2	Hot-melt extrusion of felodipine with single polymeric carriers . . . .	83
3.4.3	Hot-melt extrusion of felodipine with mixtures of polymeric carriers .	86
3.4.4	24 h dissolution profiles of felodipine extrudates . . . . .	89
3.5	Evaluation of results . . . . .	91
3.5.1	Influence of the drug content on the release characteristics . . . . .	91
3.5.2	Comparison of hot-melt extruded formulations . . . . .	92
3.5.3	Comparison of the applied manufacturing methods . . . . .	96
3.5.4	Comparison to untreated physical mixtures . . . . .	99
3.5.5	Comparison to marketed solid dosage forms . . . . .	102
3.5.6	Comparison to other available methods for solid dispersion preparation	104
<b>4</b>	<b>Summary</b>	<b>108</b>
<b>5</b>	<b>Zusammenfassung</b>	<b>110</b>
<b>6</b>	<b>Experimental part</b>	<b>112</b>
6.1	Materials . . . . .	112
6.1.1	Active pharmaceutical ingredients . . . . .	112
6.1.2	Polymeric carriers . . . . .	113
6.1.3	Other . . . . .	115
6.2	Methods . . . . .	115
6.2.1	Manufacturing methods . . . . .	115
6.2.1.1	Preparation of physical mixtures . . . . .	115
6.2.1.2	Design of experiments . . . . .	117
6.2.1.3	Ultrasound-assisted compaction technique . . . . .	119
6.2.1.4	Hot-melt extrusion . . . . .	121
6.2.1.5	Milling . . . . .	121



6.2.2	Analytical methods . . . . .	123
6.2.2.1	Stability testing . . . . .	123
6.2.2.2	Saturation concentration . . . . .	123
6.2.2.3	Dissolution studies . . . . .	123
6.2.2.4	High pressure liquid chromatography . . . . .	125
6.2.2.5	Differential scanning calorimetry . . . . .	127
6.2.2.6	X-ray diffraction . . . . .	127
6.2.2.7	Particle size analysis . . . . .	127
6.2.2.8	Karl-Fischer titration . . . . .	127
6.2.2.9	Scanning electron microscopy . . . . .	127
6.2.2.10	Content uniformity of extrudates . . . . .	128
<b>7</b>	<b>Appendix</b>	<b>129</b>
A	Characterization of extrudates . . . . .	129
A.1	Dissolution profiles of fenofibrate extrudates . . . . .	129
A.2	Dissolution profiles of oxeglitazar extrudates . . . . .	134
A.3	Pellet sizes of extrudates . . . . .	135
A.4	AUC values for manufactured formulations . . . . .	136
A.5	XRD patterns of felodipine extrudates . . . . .	137
A.6	XRD patterns of fenofibrate extrudates . . . . .	139
A.7	XRD patterns of oxeglitazar extrudates . . . . .	142
A.8	DSC thermograms of single components . . . . .	144
A.9	DSC thermograms of felodipine extrudates . . . . .	146
A.10	DSC thermograms of fenofibrate extrudates . . . . .	149
A.11	DSC thermograms of oxeglitazar extrudates . . . . .	153
A.12	Surface morphology of oxeglitazar extrudates . . . . .	156
B	Dissolution profiles of physical mixtures . . . . .	157
B.1	Felodipine . . . . .	157
B.2	Fenofibrate . . . . .	158
B.3	Oxeglitazar . . . . .	159
C	Limits of detection . . . . .	160
C.1	X-ray diffraction . . . . .	160
C.2	Differential scanning calorimetry . . . . .	165
D	Characterization of applied drugs . . . . .	168
D.1	Solubility . . . . .	168
D.2	Surface morphology of oxeglitazar . . . . .	168
	<b>Bibliography</b>	<b>169</b>
	<b>List of Publications</b>	<b>178</b>
	<b>Danksagung</b>	<b>179</b>