




Silke Wolf (Autor)

Chemistry of Metal Carbonyls in Ionic Liquids
with an Annex of Doped Tin Oxide as a Transparent
Conductor



<https://cuvillier.de/de/shop/publications/6230>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Contents

1. Introduction	1
2. Experimental	5
2.1. Methods	5
2.1.1. Working under inert gas atmosphere	5
2.1.2. Ionic Liquids	6
2.1.3. Polyol Method	9
2.2. Chemicals	10
3. Analytical Methods	15
3.1. X-ray Diffraction Analysis	15
3.2. Thermal Analysis (DTA/TG)	22
3.3. Absorption Spectroscopy	24
3.3.1. Fourier Transform Infrared (FT-IR) Spectroscopy	25
3.3.2. Ultraviolet-Visible (UV-Vis) Spectroscopy	27
3.3.3. Mössbauer Spectroscopy	29
3.3.4. Nuclear Magnetic Resonance (NMR) Spectroscopy	30
3.4. Electron Microscopy	31
3.5. Dynamic Light Scattering (DLS)	34
3.6. Four-Point Probing	36
3.7. Brunauer-Emmett-Teller Method (BET)	37
3.8. Magnetic Measurements (SQUID)	38
3.9. Density Functional Theory (DFT)	39
4. Carbonyl Chemistry in Ionic Liquids	41
4.1. [Alm][FeI(CO) ₃ (SnI ₃) ₂], Alm: EMIm, EHIm, PMIm	42
4.1.1. Synthesis and structural characterization of [EMIm][FeI(CO) ₃ (SnI ₃) ₂] .	43
4.1.2. Bonding situation and oxidation state	49
4.1.3. [EHIm][FeI(CO) ₃ (SnI ₃) ₂] and [PMIm][FeI(CO) ₃ (SnI ₃) ₂]	53
4.2. [BMIm] ₆ [S][{Fe(CO) ₃ } ₄ (SnI) ₆ I ₄] ₂ & [BMIm] ₂ [{Fe(CO) ₃ } ₄ (SnI) ₆ I ₄]	58
4.2.1. Synthesis and structural characterization	59
4.2.2. Detailed structure analysis of [BMIm] ₂ [{Fe(CO) ₃ } ₄ (SnI) ₆ I ₄]	66
4.2.3. Bond situation and valence state	70
4.3. Te ₂ Fe(CO) ₄ {Fe(CO) ₃ } ₂	77
4.4. [BMIm][{Te ₂ } ₃ {Mn(CO) ₃ } ₂ {Mn(CO) ₄ } ₃]	82
4.5. SnI(Mn(CO) ₅) ₃ and Sn(Co(CO) ₄) ₄	89
4.6. [BMIm][M(OTf) ₃], M: Fe, Mn	90

4.6.1. Synthesis and structural characterization of [BMIm][M(OTf) ₃], M: Fe, Mn	91
4.6.2. Magnetic properties	96
4.7. [Alm][Li(OTf) ₂], Alm: BMIm, EMIm	99
4.8. [EMIm][{GeI ₄ } ₂ I]	104
4.9. [Co{1,4-(CN) ₂ C ₆ H ₄ } ₂ (NTf ₂) ₂][SnI(Co(CO) ₄) ₃] ₂	107
4.10. CoI ₂ {1,3-(CN) ₂ C ₆ H ₄ }	115
4.11. FeI ₂ {1,4-(CN) ₂ C ₆ H ₄ }	119
5. Doped Tin Oxide as a Transparent Conducting Oxide	122
5.1. SnO ₂ :Sc and SnO ₂ :Y	125
5.2. SnO ₂ :Sc,F and SnO ₂ :Y,F	128
6. Summary	143
7. Outlook	146
8. Literatur	149
9. Appendix	161
9.1. Experimental instructions	161
9.2. Crystallographic Data	164
9.2.1. [EMIm][FeI(CO) ₃ (SnI ₃) ₂]	164
9.2.2. [EHIm][FeI(CO) ₃ (SnI ₃) ₂]	168
9.2.3. [PMIm][FeI(CO) ₃ (SnI ₃) ₂]	171
9.2.4. [BMIm] ₂ {Fe(CO) ₃ } ₄ (SnI) ₆ I ₄]	174
9.2.5. [BMIm] ₆ [S]{Fe(CO) ₃ } ₄ (SnI) ₆ I ₄] ₂	178
9.2.6. Te ₂ Fe(CO) ₄ {Fe(CO) ₃ } ₂	182
9.2.7. [BMIm]{Te ₂ } ₃ {Mn(CO) ₃ } ₂ {Mn(CO) ₄ } ₃	184
9.2.8. [BMIm][Fe(OTf) ₃]	189
9.2.9. [BMIm][Mn(OTf) ₃]	193
9.2.10. [EMIm][Li(OTf) ₂]	197
9.2.11. [BMIm][Li(OTf) ₂]	201
9.2.12. [EMIm][Ge ₂ I ₉]	206
9.2.13. CoI ₂ {1,3-(CN) ₂ C ₆ H ₄ }	209
9.2.14. FeI ₂ {1,4-(CN) ₂ C ₆ H ₄ }	212
9.2.15. [Co{1,4-(CN) ₂ C ₆ H ₄ } ₂ (NTf ₂) ₂][SnI(Co(CO) ₄) ₃] ₂	213
9.3. DFT calculations	219
10. Curriculum vitae	237