




René Gießübel (Autor)

Polarimetry of M31 from Megahertz to Gigahertz Frequencies



<https://cuvillier.de/de/shop/publications/6272>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Table of Contents

Zusammenfassung	I
Abstract	III
Table of Contents	V
1 Introduction	1
2 Instruments and Methods	5
2.1 Telescopes	5
2.1.1 Effelsberg 100 m	5
2.1.2 Very Large Array (VLA)	6
2.1.3 Westerbork Synthesis Radio Telescope (WSRT)	7
2.1.4 LOw Frequency ARray (LOFAR)	9
2.2 Rotation Measure (RM) and RM Synthesis	10
2.3 Depolarization mechanisms	14
3 The Effelsberg λ3.6 cm Survey	19
3.1 The central $40' \times 40'$ map	19
3.1.1 Baseline correction of the individual maps in Ozmapax	20
3.1.2 A correction-grid for the 3.6 cm map	21
3.2 Preliminary results and ongoing completion of the survey	33
4 The new Effelsberg λ6 cm Survey	37
4.1 Baseline correction of the 6 cm map	37
4.2 Milky Way foreground	40
4.3 Results	41
5 The Central Region of M31 – VLA 3.6 cm and 6 cm	45
5.1 Data Reduction	45
5.2 Combination with Effelsberg data	45
5.3 Sector Analysis	50
5.4 Results and Conclusions	60
6 RM Synthesis of data at 3.6 cm, 6 cm, 11 cm and 20 cm	65
6.1 Combining existing observations for RM Synthesis	65
6.2 Results	66



7	WSRT λ92 cm Observation	71
7.1	Data Reduction	71
7.1.1	Flagging	72
7.1.2	Calibration	72
7.1.3	Selfcal, peeling and imaging	74
7.1.4	Final imaging	76
7.2	RM Synthesis	78
7.2.1	Catalogue of Faraday sources	78
7.2.2	Polarized emission from M31 at 92 cm	88
7.3	Results and Conclusions	93
8	Summary and Outlook	95
	Appendix	98
A	Colour representations of all maps	99
B	Faraday Spectra of the sources detected at λ92 cm	105
	Bibliography	113
	List of Figures	121
	List of Tables	123
	Acknowledgements	125