




Ming Zhang (Autor)

Capillary transport of cryogenic liquids in porous structures

Ming Zhang

Capillary transport of cryogenic liquids in porous structures



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/6413>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

1	Introduction	1
1.1	Motivation and background	3
1.2	Contents of this work	7
1.3	Connection to PoreNet	8
2	State of the art	9
2.1	Capillary rise and wicking	9
2.1.1	Capillary rise	12
2.1.2	Wicking	15
2.2	Porous media	17
2.2.1	Porosity	17
2.2.2	Specific surface area and hydraulic diameter and radius	18
2.2.3	Tortuosity	19
2.2.4	Static pore radius	20
2.2.5	Suction pressure	21
2.2.6	Representative elementary volume	23
2.2.7	Permeability	24
2.3	Pressure loss of flow in porous media	25
2.3.1	Flow in ducts	26
2.3.2	Capillary model	28
2.3.3	Hydraulic radius model	29
2.3.4	Drag models	31
2.3.5	Ergun equation	34
2.4	Simulations with Flow 3D	35
2.5	Simulations on pore level with surface geometry obtained from tomography	37



3 Transport equations of wicking processes	39
3.1 Isothermal wicking without liquid vaporization	42
3.2 Isothermal wicking with liquid vaporization on the surface area of the wicking region	45
3.3 Non-isothermal wicking: Wicking of saturated liquid into a porous medium of high initial temperature	48
3.4 Transport equations for wicking in samples of circular cross section	56
3.5 Dimensionless formulation of the obtained equations	57
3.5.1 Isothermal wicking without liquid vaporization	58
3.5.2 Isothermal wicking with liquid vaporization on the surface area of the wicking region	58
3.5.3 Non-isothermal wicking: Wicking of saturated liquid into a porous medium of high initial temperature	59
4 Experimental investigation and comparison with theory	61
4.1 Experimental setup	61
4.2 Physical properties of employed porous media and experiment liquids	65
4.2.1 Porous media	65
4.2.2 Experiment liquids	72
4.3 Determination of structured parameters of glass frits	73
4.3.1 Porosity	73
4.3.2 Static radius	76
4.3.3 Permeability	80
4.4 Isothermal wicking at room temperature	83
4.5 Wicking with liquid nitrogen	94
4.5.1 Quasi-isothermal wicking experiments with LN2 in a deep dewar	95
4.5.2 LN2 wicking in a flat dewar	100
4.5.3 LN2 wicking in a deep dewar with glass frits of high initial temperature	103
4.5.4 Reproducibility of wicking experiments with LN2	106
4.6 Dimensional analysis	106
4.7 Analytical solutions	109
4.8 Conclusions	112



5 Acquisition of surface geometry	115
5.1 Construction of surface geometry with CAD software	115
5.2 Tomography	117
6 Microscopic simulations on pore level for the determination of structural parameters	121
6.1 Benchmark simulations	122
6.1.1 Capillary rise and fall	122
6.1.2 Pressure loss in ducts	128
6.1.3 Pressure loss in ordered sphere packings	131
6.2 Simulations with a real porous medium	136
6.2.1 Calculation of permeability using pressure drop	136
6.2.2 Calculation of static radius using simulations	138
6.3 Conclusions	143
7 Simulations of wicking processes on macroscopic level	145
7.1 Isothermal wicking	145
7.2 Non-isothermal wicking	150
8 Summary	151
8.1 Theoretical modeling	152
8.2 Experimental investigation	152
8.3 Numerical simulations	154
8.3.1 Acquisition of surface geometry	154
8.3.2 Microscopic simulations	154
8.3.3 Macroscopic simulations	155
Appendix	156
A Non-isothermal wicking: Gaseous environment has no temperature gradient	157
B Transport equations for wicking in samples of circular cross section	163
B.1 Isothermal wicking with evaporation	164



B.2 Non-isothermal wicking: Wicking of saturated liquid into porous media of high initial temperature	167
B.2.1 Non-isothermal wicking: Wicking of saturated liquid into a warm solid structure (gaseous environment has no temperature gradient) .	171
C Dimensionless formulations of the obtained wicking transport equations	175
C.1 Gaseous environment has a linear temperature gradient	175
C.2 Gaseous environment has no temperature gradient	183
C.3 Isothermal wicking with evaporation	186
D Calculation of structural parameters based on data sheets from supplier (Robu)	187
D.1 Pressure drop measurements with water	189
D.2 Pressure drop measurements with air	190
E Summary of dimensionless numbers for performed vertical wicking experiments	191
F Flow 3D settings	195
F.1 Pressure loss in glass frits	195
F.2 1 g simulation for calculation of static radius	196
F.3 0 g simulation for calculation of static radius	197
F.4 Isothermal macroscopic simulations	198
Bibliography	199