



Björn Waterkotte (Autor)

Development of Methods for Directed and Structured Immobilization of Biomolecules



<https://cuvillier.de/de/shop/publications/6505>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Table of contents

ZUSAMMENFASSUNG	1
SUMMARY	3
1 INTRODUCTION.....	5
1.1 OVERVIEW	5
1.2 IMMOBILIZATION	7
1.3 PROTEIN IMMOBILIZATION APPROACHES	8
1.3.1 <i>Unspecific immobilization</i>	<i>8</i>
1.3.2 <i>Regiospecific immobilization of modified proteins</i>	<i>10</i>
1.3.3 <i>The streptavidin-biotin system</i>	<i>12</i>
1.4 PROTEIN PATTERNING APPROACHES	12
1.4.1 <i>Serial patterning approaches.....</i>	<i>14</i>
1.4.2 <i>Parallel patterning approaches</i>	<i>14</i>
1.4.3 <i>Photolithography.....</i>	<i>16</i>
1.4.4 <i>Digital mirror arrays</i>	<i>19</i>
1.5 FLUORESCENCE AND ITS DETECTION	20
1.5.1 <i>Principles of fluorescence.....</i>	<i>20</i>
1.5.2 <i>Fluorescent probes.....</i>	<i>21</i>
1.5.3 <i>Basics of fluorescence detection</i>	<i>23</i>
1.6 DIGITAL PROCESSING OF IMAGE INTENSITY DISTRIBUTIONS.....	25
1.7 PROTEIN DETECTION ON SURFACES.....	26
2 AIMS OF THIS WORK	29
3 MATERIALS AND METHODS.....	31
3.1 MATERIAL	31
3.1.1 <i>General devices.....</i>	<i>31</i>
3.1.2 <i>Microscopes.....</i>	<i>31</i>
3.1.3 <i>Fluorescence and luminescence readers</i>	<i>31</i>
3.1.4 <i>Buffers</i>	<i>32</i>
3.1.5 <i>Chemicals</i>	<i>32</i>
3.1.6 <i>Software.....</i>	<i>34</i>
3.2 MECHANICAL PROTECTION	35
3.2.1 <i>Coating chamber and plungers.....</i>	<i>35</i>
3.2.2 <i>Minimagnet array.....</i>	<i>37</i>



3.3	SURFACE CHEMISTRY ARRAY	39
3.3.1	<i>Particle handling</i>	40
3.3.2	<i>Particle assays</i>	41
3.4	ORIENTATION ANALYSIS	43
3.4.1	<i>Antibodies</i>	43
3.4.2	<i>Epitope mapping</i>	44
3.4.3	<i>Dot blot</i>	46
3.4.4	<i>Immunochemical analysis of surface-immobilized IL-8</i>	47
3.5	LATERAL SURFACE PATTERNING	52
3.5.1	<i>Technical setup</i>	52
3.5.2	<i>Coating and preparation of primary patterns</i>	55
3.5.3	<i>Patterning with maskless projection lithography</i>	59
3.5.4	<i>Pattern decoration and detection</i>	60
3.5.5	<i>Thin organic polymer films and thermoforming</i>	62
3.5.6	<i>Manually spotted arrays</i>	64
3.5.7	<i>TOF-SIMS Spectrometry</i>	65
3.6	IMAGEJ MACROS	66
4	RESULTS AND DISCUSSION	67
4.1	MECHANICAL PROTECTION	67
4.1.1	<i>Proof-of-concept</i>	68
4.1.2	<i>Test of basic chamber parameters</i>	72
4.1.3	<i>Mini Electromagnet Array</i>	79
4.2	SURFACE CHEMISTRY ARRAY	84
4.2.1	<i>Technical aspects</i>	86
4.2.2	<i>BeadRead</i>	89
4.2.3	<i>Surface chemistry assay</i>	94
4.3	ORIENTATION ANALYSIS	105
4.3.1	<i>Epitope mapping</i>	107
4.3.2	<i>Immunochemical analysis of oriented IL-8</i>	115
4.4	MASKLESS PROJECTION LITHOGRAPHY AND PROTEIN BITMAPS	124
4.4.1	<i>Characterization of protein patterns on glass surfaces</i>	124
4.4.2	<i>Optimization of protein adsorption based patterning</i>	130
4.4.3	<i>Microtiter plate based characterization of deposition</i>	136
4.4.4	<i>Influence of buffer viscosity</i>	140
4.4.5	<i>Fluorescence intensity and molecular surface density</i>	151
4.4.6	<i>TOF-SIMS imaging of protein patterns</i>	158



4.4.7	<i>Alternative protein coating</i>	161
4.4.8	<i>Protein pattern decoration for functional assays</i>	163
4.4.9	<i>Thin organic polymer films and thermoforming</i>	168
4.4.10	<i>Pattern biocompatibility</i>	177
5	CONCLUSIONS AND OUTLOOK	183
5.1	MECHANICAL PROTECTION	183
5.2	SURFACE CHEMISTRY ARRAY	184
5.3	ORIENTATION ANALYSIS	186
5.4	MASKLESS PROJECTION LITHOGRAPHY AND PROTEIN BITMAPS	187
6	ABBREVIATIONS	191
7	REFERENCES	193
8	APPENDIX	208
8.1	MACROS	208
8.1.1	<i>BeadHisto</i>	208
8.1.2	<i>DropEval</i>	209
8.1.3	<i>SatuRatio</i>	210
8.1.4	<i>MTP-Eval</i>	211
8.1.5	<i>General purpose macros</i>	211
8.2	BEADREAD SCREEN SHOTS	213
8.3	BEADREAD SOURCE CODE	219
8.4	DATA TABLES OF IEBA EXPERIMENTS	235
8.5	IL-8 ORIENTATION ANALYSIS	237
9	CURRICULUM VITAE	238
10	PUBLICATIONS	239
10.1	PUBLICATIONS AND MANUSCRIPTS	239
10.2	CONFERENCE CONTRIBUTIONS	239
10.3	TALKS	240