



Contents

Summary	xi
List of Symbols	xix
1 Introduction	1
2 Theoretical Background and State of the Art	5
2.1 Rotation	5
2.2 Surface Tension	6
2.3 Contact Angle	8
2.3.1 Static Contact Angle	9
2.3.2 Dynamic Contact Angle	10
2.3.3 Pinned Contact Line	12
2.4 Shape and Stability of Menisci on Solid Surfaces	15
2.5 Fluid Management in Space	31
2.6 Summary and Objectives of this Work	33
3 The Model	37
3.1 Governing Equations and Dimensionless Numbers	39
3.2 Orders of Magnitude of the Dimensionless Numbers	42
3.3 Equations for the Model	43
3.3.1 Meniscus Profiles in a Rotating System	45
3.3.2 Meniscus Profiles in a Rotating Cylinder	46
3.3.3 Conditions for the Meniscus Profiles between the Rotating Disks	48
3.3.4 Meniscus Shapes between Rotating Disks	50
3.3.5 Menisci in the Rotating Models	53
3.4 Limiting Cases	54
3.4.1 Stable Menisci for Zero Rotation	55
3.4.2 Stability Limit of the Menisci for Relatively Large Rotation	61
3.5 Reorientation	69



3.6	Summary	71
4	Statical Numerical Analysis	73
4.1	The <i>Surface Evolver</i>	73
4.2	Application of the <i>Surface Evolver</i>	75
4.3	Benchmark Test for the Computations	77
4.4	Numerical Model	80
4.5	Results	82
4.5.1	Stability Limit	82
4.5.2	Stability limit of the Pinned Contact Line	91
4.6	Summary	94
5	Dynamical Numerical Analysis	97
5.1	OpenFOAM®	100
5.2	Modifications of the Solver	102
5.3	Benchmark Test - Rotating Meniscus in a Cylindrical Tube	102
5.4	The Numerical Model	105
5.4.1	Initial and Boundary Conditions	107
5.4.2	Matrix of the Computed Cases	108
5.5	Results	110
5.5.1	Unsegmented Models, $n = 0$	112
5.5.2	Segmented Models with $n = 8$	121
5.5.3	Segmented Models with $n = 16$	127
5.6	Summary	140
6	Experiments with Rotating Menisci in Microgravity	145
6.1	Setup of the Drop Tower Tests	146
6.2	Dynamical Effects	149
6.3	Results	159
6.3.1	Model with $n = 0$, $b^* = 0.1$ and $c^* = 0.25$	160
6.3.2	Model with $n = 8$, $b^* = 0.1$ and $c^* = 0.25$	161
6.3.3	Model with $n = 16$, $b^* = 0.1$ and $c^* = 0.25$	162
6.3.4	Model with $n = 0$, $b^* = 0.2$ and $c^* = 0.25$	163
6.3.5	Model with $n = 8$, $b^* = 0.2$ and $c^* = 0.25$	165
6.3.6	Model with $n = 0$, $b^* = 0.3$ and $c^* = 0.25$	166
6.3.7	Model with $n = 8$, $b^* = 0.3$ and $c^* = 0.25$	168
6.3.8	Model with $n = 16$, $b^* = 0.3$ and $c^* = 0.25$	169
6.3.9	Overview of the results	171



6.3.10	Unstable Free Surfaces	173
6.4	Error Analysis	176
6.5	Summary	179
7	Results and Discussion	181
7.1	Results of Experiments and OpenFOAM [®] computations	181
7.1.1	Unsegmented Models, $n = 0$	181
7.1.2	Segmented Models with $n = 8$	184
7.1.3	Segmented Models with $n = 16$	187
7.2	Comparison of the Stability of the Free Surfaces	190
8	Conclusion	201
9	Possible Application of the Model	207
9.1	Drop Tower Experiments	210
9.1.1	The Setup	210
9.1.2	Results and Discussion	211
A	Appendix	215
A.1	Data of the Fluids	215
A.2	Measurement of the Contact Angle on a Coated Solid Surface	216
A.3	Dimensions of the Models	217
A.4	Calibration of the Centrifugal Stage of the Drop Capsule	223
A.5	Exemplary Data of Drop Tower Test No. 19	223
A.6	Correction of Optical Refraction	224
A.7	Characteristic Lengths	226
A.8	Listings of OpenFOAM	227
	List of Figures	231
	List of Tables	244
	Bibliography	247
		258