

Table of contents

Introduction	1
1 Overview	5
1.1 Published work	5
1.1.1 Quasi-spectral finite differences	5
1.1.2 Solvers for the nonlinear Schrödinger equation	7
1.2 Achievements of the present work	12
2 Nonlinear Schrödinger equation	13
2.1 Maxwell's equations	14
2.2 Material model	15
2.2.1 Weak nonlinearity for superposition	15
2.2.2 Source-free optical field	15
2.2.3 Electric susceptibility tensors $\tilde{\chi}^{(n)}$	16
2.2.4 Relevant nonlinear effects: Kerr and Raman	18
2.3 Maxwell's equations in frequency domain	19
2.3.1 Linear harmonic eigenmodes	20
2.3.1.1 Quasi-TEM approximation	22
2.3.2 Separation ansatz: Envelope and harmonic eigenmodes	24
2.3.2.1 Nonlinear polarization	25
2.3.2.2 Exact Maxwell's equations in frequency domain	27
2.3.2.3 Assumptions for validity of separation ansatz	28
Weak nonlinearity	28
Random phase approximation (RPA):	
Neglect higher harmonics	28
Narrowband assumption:	
Neglect coupling of $+\omega_0$ and $-\omega_0$ frequency bands	28
Single-mode regime	29
Small frequency-variations of linear electric permittivity	29
Slowly varying envelope approximation (SVEA)	29
Quasi-TEM approximation	29
2.3.2.4 Approximated Maxwell's equations in frequency domain	30
2.3.2.5 Envelope equation in frequency domain	31
2.4 Envelope equation in time domain	32
2.4.1 General form of the nonlinear Schrödinger equation (NLSE)	33
2.4.2 Galilean transformation: Retarded time frame	34
2.4.3 Envelope normalization using average power	35

2.4.4	First moment approximation	
	for Raman time constant T_R	37
2.4.4.1	Discussion of the linear and nonlinear terms	38
2.4.5	Energy conservation/exponential loss	39
2.4.6	Standard cubic Schrödinger equation	41
2.4.6.1	Coupled shift of wavenumber and carrier frequency	41
2.4.6.2	Soliton solution	42
2.4.7	Simplified coefficients:	
	scalar approximation (isotropy, weak guidance)	43
2.4.7.1	Nonlinear electric permittivity	45
2.4.7.2	Linear and nonlinear refractive index representation	46
2.4.7.3	Spatially quasi-constant material: Effective area A_{eff}	47
2.5	Initial boundary value problem and well-posedness	48
3	Finite differences	51
	Harmonic time dependence	54
3.1	Taylor approach: Polynomial exactness	57
3.2	Spectral approaches for quasi-spectral accuracy	66
3.2.1	Spectral interpolation	66
3.2.2	Weighted least-squares optimization	80
3.2.3	Consistency of quasi-spectral finite differences	93
3.3	Comparison of the finite difference formulae	96
3.3.1	Harmonic time dependence	97
3.3.2	Anharmonic time dependence	99
4	Semidiscretization and integration	105
4.1	Semidiscretization in time t (method of lines)	105
4.1.1	Semidiscrete energy relation and uniqueness	107
4.2	Integration of the ODE system	111
4.2.1	Midpoint and trapezoidal integrators	112
4.2.1.1	Nonlinear-implicit midpoint method (NIMM)	114
4.2.1.2	Linear-implicit midpoint method (LIMM)	114
4.2.1.3	Nonlinear-implicit trapezoidal method (Crank-Nicolson, NITM)	115
4.2.1.4	Nonlinear-implicit modified trapezoidal method (modified Crank-Nicolson, NIMTM)	115
4.2.1.5	Linear-implicit modified trapezoidal method (LIMTM)	116
4.2.1.6	Exponential splitting of the scalar term for exact discrete energy relation	116
4.2.2	Exponential split-step integrators	118
4.2.2.1	Asymmetric split-step (SS1)	121
	Semi-analytical step-size adaptation	121
4.2.2.2	Symmetric split-step (SS2)	122
	Explicit nonlinear full-step with standard argument	122
	Explicit nonlinear full-step with modified argument for high nonlinearity	125

Semi-analytical step-size adaptation	127
4.2.2.3 Fourth-order split-step (SS4)	127
4.2.2.4 Discrete energy conservation/exponential loss	128
4.2.3 Multistep error term cancellation (Richardson extrapolation)	129
4.2.3.1 Numerical step size adaptation	130
4.2.3.2 Fourth-order extrapolation of second-order split-step (SS2EX)	131
4.3 Stability and convergence	132
4.4 Behavior for vanishing or commuting nonlinearity	137
4.5 Implementation	138
4.5.1 Periodic boundary conditions for efficient expo- nentiation via FFT and $\mathcal{O}(N)$ storage requirements	138
4.5.2 Truncation of the matrix $e^{c\mathcal{L}}$ for $\mathcal{O}(N)$ complexity	139
Discrete step sizes allowed for efficient adaptation	141
5 Numerical results	143
5.1 Solitons for analytical solution	144
5.1.1 Equidistant step size	145
5.1.2 Step size adaptation	150
5.1.3 Experimental convergence analysis: coupled space and time grid	152
5.2 WDM signals for practical relevance	154
5.2.1 Short-distance simulation	157
5.2.1.1 Enhanced self-steepening	161
5.2.2 Long-distance simulation, equidistant	163
5.2.3 Step size adaptation	166
5.3 Summary and discussion of the numerical results	170
Summary and outlook	173
Appendix A Least-squares approximation and Haar systems	175
A.1 Inner product and Hilbert spaces	175
A.2 (Weighted) least-squares approximation	176
A.3 Haar systems	177
A.4 Symmetry relations	181
Appendix B Harmonic analysis	185
B.1 Fourier integral	185
B.2 Discrete Fourier transform (DFT) and fast Fourier transform (FFT) algorithm	186
B.3 Diagonalization of circulant matrices	187
B.4 Phase and group velocity	187
Appendix C Alternative semidiscretizations	189
C.1 General nonlinear problems	189
C.2 Linear problems	190

C.2.1	Finite element method:	
	Bubnov-Galerkin with B-splines	191
C.2.2	Collocation with compactly supported	
	interpolating Deslauriers-Dubuc scaling functions	191
C.2.3	Fourier method	192
Appendix D	Miscellaneous	195
	Perturbed system of linear equations	195
	Taylor formula with remainder	195
	Direct sum of sine and cosine functions	196
	Generalized harmonic numbers	196
	Vandermonde systems	197
Bibliography		201
Notation		211
Publications		223
Acknowledgment		227
Curriculum Vitae		229