




Marc Rist (Autor)

On the Potential of Flupyradifurone, a Butenolide Insecticide, for Drought Stress Attenuation in Spring Wheat (*Triticum aestivum* L.)



<https://cuvillier.de/de/shop/publications/7223>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Table of contents

Table of contents	I
Abbreviations	V
1. Introduction	1
1.1 Plant drought stress responses	2
1.1.1 The soil-plant-atmosphere continuum.....	2
1.1.2 Morphological aspects of drought stress.....	3
1.1.3 Physiological and biochemical aspects of drought stress.....	4
1.1.4 Molecular aspects of drought stress	7
1.2 Options to increase crop yield under water scarcity	12
1.2.1 Farming approaches	12
1.2.2 Remote Sensing.....	13
1.2.3 Breeding approaches	14
1.2.4 Chemical induction of drought tolerance.....	15
1.3 Insecticides with physiological side effects	17
1.3.1 Neonicotinoids.....	17
1.3.2 Flupyradifurone – a butenolide insecticide.....	20
2. Objectives	25
3. Materials and Methods	27
3.1 Drought stress-mitigating effects of FPF under field conditions	27
3.1.1 Trial site and experiment design	27
3.1.2 Data collection and analysis.....	30
3.2 Identification of conditions and key requirements for drought stress-mitigating effects of FPF in the greenhouse	32
3.2.1 Plant material and growing conditions	32
3.2.2 Physiological effect of FPF under stress-free conditions	32
3.2.3 Potential of different FPF dose rates to mitigate drought stress in spring wheat.....	34
3.2.4 Stress-mitigating effects of FPF at different growth stages	35
3.2.5 Stress-mitigating effects of FPF at different levels of drought stress.....	35
3.2.6 Stress-reducing effects of FPF after different application timings.....	36
3.2.7 Drought stress-reducing effects of FPF in different spring wheat cultivars.....	36
3.2.8 Trial repeats and statistical analysis	36
3.3 Metabolic fate of radiolabeled FPF in well-watered and drought-stressed spring wheat	37
3.3.1 Experimental setup.....	37
3.3.2 Metabolite extraction	38



3.3.3	Radioactivity measurements of liquid and solid samples.....	39
3.3.4	Detection of FPF-derived metabolites using radio-HPLC	39
3.3.5	Detection of 6-chloropyridinyl-3-carboxylic acid (6-CPA).....	39
3.3.6	Screening for 6-chloro-2-hydroxypyridinyl-3-carboxylic acid (2-HOCPA).....	40
3.3.7	Analysis of HPLC-profiles and identification of metabolites.....	42
3.4	Potential involvement of FPF in nicotinic acid-dependent NAD salvage reactions in spring wheat	42
3.4.1	Experimental setup.....	42
3.4.2	Detection of [¹⁴ C]-NAD in spring wheat and <i>Arabidopsis thaliana</i>	43
3.4.3	HPLC ESI-MS analysis of wheat NAD extracts	45
3.4.4	Potential involvement of [pyridine-2,6- ¹⁴ C]-flupyradifurone in NAD salvage reactions ..	45
3.4.5	Drought stress-reducing potentials of FPF and IMD lacking the chloropyridinyl moiety	45
3.5	Activity of antioxidant enzymes in spring wheat.....	46
3.5.1	Experimental setup and enzyme extractions	46
3.5.2	Protein quantification.....	47
3.5.3	Catalase assay.....	48
3.5.4	Peroxidase assay	48
3.5.5	Ascorbate peroxidase assay	49
3.5.6	Superoxide dismutase assay	49
3.5.7	Calculation and statistical analysis of enzyme activities	49
3.6	Determination of ABA and SA contents	50
3.6.1	Plant material and phytohormone extraction.....	50
3.6.2	Quantitation and statistical analysis of ABA and SA contents	51
3.7	Microarray analysis.....	51
3.7.1	Design of a custom 3'IVT wheat array	51
3.7.2	Plant material, RNA isolation and quality assessment.....	54
3.7.3	RNA and microarray processing	55
3.7.4	Microarray data analysis	55
3.7.5	Real-time qRT-PCR validation of microarray data.....	58
4.	Results.....	59
4.1	Drought stress-mitigating effects of FPF under field conditions.....	59
4.1.1	General observations	59
4.1.2	Grain yield analysis	61
4.1.3	NDVI analysis of selected non-irrigated plots	64
4.2	Identification of conditions and key requirements for drought stress-mitigating effects of FPF in the greenhouse.....	66
4.2.1	Physiological effects of FPF under stress-free conditions	66
4.2.2	Dose-finding and stress-reducing effects of FPF at different crop stages	67
4.2.3	Stress-reducing effects of FPF at different levels of drought stress	68



4.2.4	Stress-reducing effects of FPF at different application timings.....	70
4.2.5	Confirmation of FPF-induced biomass increases under moderate drought stress.....	72
4.3	Metabolic fate of FPF in well-watered and drought-stressed spring wheat and identification of bioactive metabolites	73
4.3.1	Metabolization of FPF and detection of 6-CPA in spring wheat.....	73
4.3.2	Screening for 6-chloro-2-hydroxypyridinyl-3-carboxylic acid (2-HOCPA) in FPF-treated spring wheat.....	81
4.4	Potential involvement of FPF in wheat NAD salvage reactions	82
4.4.1	Detection of nicotinic acid dependent NAD salvage reactions in spring wheat and <i>A. thaliana</i>	82
4.4.2	Involvement of FPF and 6-CPA in wheat NAD salvage reactions	84
4.4.3	Drought stress-mitigating potentials of de-chlorinated FPF (BCS-1) and IMD (BCS-2) in comparison to standards	84
4.5	Effect of FPF on the wheat antioxidant defense system under well-watered and drought conditions.....	86
4.5.1	Early responses of APX, CAT, POX and SOD towards FPF and IMD treatment.....	86
4.5.2	Late responses of APX, CAT, POX and SOD towards FPF and IMD treatment	87
4.6	Impact of FPF on SA and ABA contents in well-watered and drought-stressed spring wheat	88
4.7	Microarray analysis of well-watered and drought-stressed spring wheat after treatment with FPF	89
4.7.1	Quality and homogeneity of microarray data	89
4.7.2	Transcriptional response of spring wheat towards drought stress.....	91
4.7.3	FPF-induced changes in the transcriptional response of spring wheat	107
4.7.4	Validation of microarray data.....	125
5.	Discussion.....	127
5.1	Drought stress-mitigating effects of FPF under field conditions.....	127
5.1.1	Field trial design	127
5.1.2	Grain yield in irrigated and non-irrigated fields.....	128
5.1.3	Remote sensing for in-season crop performance measurements	130
5.1.4	Screening for FPF-induced drought tolerance and impact of dose rate and spray timing	131
5.2	Identification of conditions and key requirements for drought stress-mitigating effects of FPF and IMD in the greenhouse	133
5.3	Metabolic fate of FPF in well-watered and drought-stressed spring wheat.....	136
5.3.1	General aspects of pesticide metabolism in plants.....	136
5.3.2	Metabolization of FPF in spring wheat and screening for 2-HOCPA.....	138
5.4	Potential involvement of FPF in wheat NAD salvage reactions	140
5.4.1	Confirmation of salvage reactions and involvement of FPF.....	140
5.4.2	Drought stress-reducing potentials of FPF and IMD lacking the chloropyridinyl moiety	141



5.5 Molecular and biochemical mechanisms of FPF-induced drought tolerance in spring wheat	142
5.5.1 Early molecular response of spring wheat towards progressive soil drying	142
5.5.2 Molecular response of spring wheat towards drought stress.....	143
5.5.3 Early molecular response of spring wheat after FPF treatment.....	147
5.5.4 Molecular response of FPF-treated spring wheat towards moderate drought.....	150
6. Summary	155
6.1 Summary	155
6.2 Zusammenfassung.....	157
7. References	159
8. Annex.....	185
8.1 Field trials.....	185
8.1.1 Climate statistics for the Crop Diversification Centre South, Brooks, Alberta, Canada.....	185
8.1.2 Activity of different FPF dose rates against important aphid species in cereals.....	186
8.1.3 Treatment map and comparisons for irrigated plots	187
8.1.4 Treatment map and comparisons for non-irrigated plots	188
8.1.5 NDVI curves of irrigated treatments (Greenseeker™)	189
8.1.6 NDVI curves of non-irrigated treatments (Greenseeker™)	191
8.1.7 NDVI curves obtained from aerial imaging – non-irrigated plots.....	193
8.1.8 Block-specific grain yield of irrigated and non-irrigated Local Standard controls	194
8.1.9 Additional field trials in Europe and North America.....	195
8.2 Metabolism studies	196
8.2.1 HPLC profiles ([¹⁴ C]-track) of well-watered and drought-stressed P- and F-label-treated wheat plants.....	196
8.2.2 HPLC profiles of digested 14 dat samples after P-label treatment	198
8.2.3 Identification of 2-HOPCA in P-Label-treated, digested, 14 dat drought samples.....	199
8.2.4 TLC and spectral mass patterns of wheat NAD extracts	201
8.3 Gene expression profiling	205
8.3.1 Drought-induced changes in SL 0-treated spring wheat.....	205
8.3.2 FPF-induced changes in spring wheat.....	208
8.3.3 Selection of a reference gene for qRT-PCR validation	216
Danksagung	217
Eidesstattliche Versicherung	219
Lebenslauf.....	221