



Nicole Fischer (Autor)

Experimental investigations on the influence of physico-chemical parameters on anaerobic degradation in MBT residual waste



<https://cuvillier.de/de/shop/publications/433>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Table of contents

1	Introduction	1
1.1	MBT waste	2
1.2	Motivation and Objective	3
2	Theoretical background	4
2.1	Biodegradation of organic matter	4
2.2	Factors and substances influencing anaerobic degradation	6
2.2.1	pH and acid buffer intensity	6
2.2.2	Conceptual model of pH development	11
2.2.3	Sorption	15
2.2.3.1	Models for sorption kinetics	17
2.2.3.2	Models for sorption equilibrium	20
2.2.3.3	Bioavailability factor B_f and distribution coefficient K_D	21
2.2.3.4	Activated carbon used as a reference system	22
2.2.4	Moisture content	22
2.3	Electrical resistivity tomography (ERT) for measuring in-situ moisture content	23
2.3.1	Destructive and non-destructive techniques for measuring <i>in-situ</i> moisture content ..	23
2.3.2	Direct-current resistivity method	25
2.3.3	Model for quantifying moisture content in MBT residual waste	30
3	Materials and methods	32
3.1	Waste characterisation	32
3.1.1	Waste composition and representative samples	32
3.1.2	Element analysis and theoretical biogas potential	33
3.1.3	Fermentation test GB_{21}	33
3.1.4	Gravimetric moisture content	33
3.1.5	Total porosity and bulk density	34
3.1.6	Carbon and carbonate content	34
3.1.7	Statistical analysis of datasets	35
3.2	Anaerobic lab-scale landfill bioreactors	36
3.2.1	Bioreactor with leachate recirculation and pH regulating unit	36
3.2.2	Batch reactor	37
3.2.3	Standardised quantification of biogas production	38
3.3	Leachate analysis	39
3.3.1	Dissolved carbon	39

3.3.2	VFA and ions	39
3.4	Acid and base buffer intensity measurement and calculation	39
3.5	Sorption behaviour investigations	41
3.6	ERT measurements.....	43
3.6.1	Measurement in calibration cell for apparent resistivity/moisture content correlation.....	43
3.6.2	Construction design and resolution efficiency of ERT in lysimeter column.....	44
4	Results and interpretation	48
4.1	Element analysis and theoretical biogas potential.....	48
4.1.1	Biogas production in fermentation test GB ₂₁	49
4.2	Influence of pH and buffer intensity on anaerobic degradation.....	50
4.2.1	Unadjusted pH conditions.....	50
4.2.2	Constant pH conditions.....	52
4.2.3	Acid and base buffer intensity	57
4.2.4	Simulation of biogas production with increased buffering intensity	60
4.3	Sorption of organic compounds	64
4.3.1	Adsorption behaviour of the activated carbon system.....	64
4.3.2	Adsorption behaviour of the MBT residual waste system.....	67
4.4	Influence of unadjusted and artificially increased gravimetric moisture content	75
4.4.1	Biogas production	76
4.4.2	Methane production	77
4.5	In-situ quantification of moisture content in MBT residual waste.....	79
4.5.1	Interpretation of apparent resistivity and moisture content	79
4.5.2	Investigation of 3D-ERT resolution.....	82
4.5.3	Transfer of apparent resistivity to moisture content in 3D-ERT	83
5	Summary.....	90
6	References.....	93
7	Nomenclature.....	99
7.1	Latin symbols	99
7.2	Greek symbols.....	100
7.3	Subscripts	100
7.4	Abbreviations	101
8	Appendix	103