




Magnus Bichlmeier (Autor)
Certifiable L_1 Adaptive Control for Helicopters



<https://cuvillier.de/de/shop/publications/7276>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Contents

List of Figures	viii
Acronyms	xi
Notation and Symbols	xii
1 Introduction	1
1.1 Motivation	1
1.2 Controller Requirements and Objectives	3
1.3 Chapter Overview	5
1.4 Contributions of this Thesis	6
2 Background	8
2.1 Helicopter Dynamics	8
2.2 System Description	12
2.3 Offline System Identification	14
2.4 The Baseline Controller	16
2.5 Introduction to \mathcal{L}_1 -Control	26
2.5.1 The Idea	26
2.5.2 Explanation to the Piece-Wise Constant Adaptive Law	32
2.5.3 Introduction to Output Feedback for Non-SPR Desired Dynamics	34
2.5.4 Performance Effects of the Prediction Error: Issues and Solutions	35
2.5.5 Performance and Robustness	37
2.6 Augmenting and Standalone \mathcal{L}_1 -Controllers	38
2.7 Internal Model Based Control	42
3 Design of the Input Channel to the Predictor	45
3.1 Input Signal Merging	45
3.2 Trim	47
3.3 Decoupling of Cross-Couplings	47
3.4 Structure	48
3.5 Modeling of Response Lags	51
4 \mathcal{L}_1-Control for Pitch, Roll, Yaw	53
4.1 In General	53
4.2 State Feedback	54



4.3	Output Feedback	56
4.4	Outer Loops for the Standalone \mathcal{L}_1 -Controller	58
5	\mathcal{L}_1-Control for Vertical Speed in Hover	61
5.1	Background	61
5.2	Controller Core	62
5.3	Command Signal Processing	64
5.4	Extensions and Enhancements	66
5.5	Alternative Structure	67
6	Certification Strategy	68
6.1	Introduction	68
6.2	Core Reasoning	69
6.3	Additional Supportive Criteria	71
7	Simulation Results	74
7.1	Frequency Domain: Baseline Controller	76
7.2	Frequency Domain: Augmentation with State Feedback	78
7.3	Frequency Domain: Standalone \mathcal{L}_1 -Control in State Feedback	80
7.3.1	Raw Adaptive Law	80
7.3.2	Recursive Adaptive Law	82
7.4	Frequency Domain: Standalone \mathcal{L}_1 -Control in Output Feedback	84
7.5	Time Domain: Standalone \mathcal{L}_1 -Control in State Feedback – Raw Adaptive Law	86
7.6	Vertical Speed Controller	87
8	Conclusion and Future Work	88
8.1	Conclusion	88
8.2	Future Work	91
A	Definitions	92
A.1	General Definitions	92
A.2	Coordinate Frames	96
B	Alternatives for Decoupling of Cross-Couplings in Augmentation	98
C	\mathcal{L}_∞-Stability	100
C.1	Introduction and Conditions	100
C.2	Proof of Theorem C.1.1	100
D	Equivalent State Feedback Systems	102
E	Performance Bounds in State Feedback	104
E.1	Definitions, Assumptions, Descriptions	105
E.2	Reference System	111
E.3	Core Proof	112

E.4	Proof of Lemmas	117
E.4.1	Proof of Lemma E.2.1	117
E.4.2	Proof of Lemma E.3.1	118
E.4.3	Proof of Lemma E.3.2	120
E.4.4	Proof of Lemma E.3.3	121
E.5	Alternative, Recursive Adaptive Law	122
F	Performance Bounds in Output Feedback for Non-SPR Desired Dynamics with a Recursive Adaptive Law	126
F.1	Definitions, Assumptions, Descriptions	127
F.2	Reference System	136
F.3	Core Proof in Initial Broken-Loop Mode	136
F.4	Core Proof in Standard Closed-Loop Mode	148
F.5	Proof of Lemmas	160
F.5.1	Proof of Lemma F.1.1	160
F.5.2	Proof of Lemma F.1.2	165
F.5.3	Proof of Lemma F.1.3	165
F.5.4	Proof of Lemma F.2.1	165
F.5.5	Proof of Lemma F.3.1	167
F.5.6	Proof of Lemma F.3.2	168
F.5.7	Proof of Lemma F.4.1	168
F.5.8	Proof of Lemma F.4.2 and Lemma F.3.3	170
F.5.9	Proof of Lemma F.4.3	172
F.5.10	Proof of Lemma F.5.1	173
F.5.11	Proof of Lemma F.5.2	175
G	Signal Hedging with Saturation	176
G.1	Introduction and Conditions	176
G.2	Proof of Theorem G.1.1	177
H	The Effect of a_{SP} on \tilde{x}, $x_{ref} - x$, $x_{ref} - \hat{x}$	179
H.1	Description	179
H.2	Example	180
H.3	Explanation	182
I	Controller Robustness against Time Step Variations	187
I.1	Description	187
I.2	Example	188
I.3	Explanation	189
J	Controller Robustness against Measurement Noise	191
J.1	Description	191
J.2	Example	193
J.3	Proof of Theorem J.1.1	196
J.4	Proof of Theorem J.1.2	197
J.5	Proof of Theorem J.1.3	197



K	Modeling of Inertia Effects with a Gyroscopic Term	199
L	Alternative Predictor in an Error Space	201
M	Alternative State Predictor Enclosing Baseline Controller States	203
	M.1 Definitions	203
	M.2 Core Statements	204
	M.3 Necessity of the Alternative Predictor	207
	M.4 Proof of Theorem M.3.1	207
	M.5 Example	209
N	Examples of Practical Verification and Falsification	212
O	Simulation Setup	215
	O.1 Concept	215
	O.2 Structure	216
	O.3 Parameter Scheduling in State Feedback	218
	O.4 Actuators	218
	O.5 Noise Modeling	220
	O.6 Miscellaneous	220
	Bibliography	222